

# DoveBid On-Location Auction

Surplus to the ongoing operations of



® CORPORATION  
RBX INDUSTRIES, INC.  
Bedford, Virginia

*World's Largest  
Manufacturer of  
Closed Cell  
Foam Products*



**Auction**  
Tuesday, January 15, 2002  
Beginning at 10am

**Preview**  
Monday, January 14, 2002  
9am to 4pm and morning of the sale

**DOVEBID**®

Business Auctions Worldwide

[www.dovebid.com](http://www.dovebid.com)

DoveBid  
Worldwide

Amsterdam

Atlanta

Bangkok

Barcelona

Boston

Brussels

Chicago

Dallas

Denver

Detroit

Dublin

Dusseldorf

Hartford

Hong Kong

Houston

London

Los Angeles

Melbourne

Milwaukee

Sacramento

San Francisco

San Jose

Seattle

Singapore

Sydney

Tokyo

Toronto



[www.industrialauctioneers.org](http://www.industrialauctioneers.org)

RBX TRADEMARK OWNED  
BY RBX INDUSTRIES, INC.

## DoveBid

### On-Location Auction

Tuesday, January 15, 2002  
Beginning at 10am

### Preview

Monday, January 14, 2002  
9am to 4pm and morning of sale

### Location & Preview

Surplus to the ongoing operations of



RBX INDUSTRIES, INC.  
Plant 2 Railroad Avenue  
Bedford, Virginia

### Directions

From Roanoke Regional  
Airport/Woodrum Field:

Exit airport to I-581 South.  
Proceed on I-581 approx.

3-1/2 miles to US-460/US-221  
East. Proceed on US-460/

US-221 East approx. 28 miles  
to the Bedford Area. Upon

entering the Bedford Area, bear  
left onto US-460/US-221

(Not the US-460 Bypass) and  
proceed into downtown

Bedford to North Bridge St./  
US-221. Turn left (north) and

proceed to Jackson Street (1st  
Street past railroad bridge).

Turn right (east) and proceed  
approx. 3 blocks to Grove

Street. Turn right (south) and  
proceed approx. 2 blocks to

Railroad Avenue. Turn left  
(east) and proceed to sale site

on the right side. Watch for  
auction and parking signs.

From Lynchburg Regional/  
Preston Glenn Field:

Exit airport to US-460. Proceed  
on US-460 approx.

20 miles to the Bedford Area.  
Upon entering the Bedford

Area, bear right onto Rte. 122  
and proceed into downtown

Bedford to North Bridge  
Street/US-221. Turn right

(north) and proceed as above.

TRADEMARK OWNED BY RBX INDUSTRIES, INC.



1990



PARTIAL VIEWS OF MIXING LINE

### MIXING LINE

- 1 - MIXING LINE, (#5), Consisting of: (1) 3'W X 5'L Slab Power Feed Conveyor, Mounted on Weigh Scale With Weigh-Tronix WI-120 Digital Scale Readout; (1) 3'W X 20'L Power Belt Conveyor; (1) Hytrol 3'W x 20'L Power Belt Conveyor; (1) Specially-Designed Elevator; (1) Farrel Model 11D Intensive Mixer, S/N 90BA 10907-01R (1990), 237 Liters (390 Lbs.), Farrel 79A123A Enclosed Gear Box, S/N FD575, 21.67:1 Ratio, GE 5K840754C7 600/300 AC Motor, GE Limitamp Drive/Starter, S/N 716052170, 2300-Volt; (1) Water Recirculation System; (1) Eemco Drop Rubber Mill, S/N N/A, 84" Face X 24" X 24" Diameter Water-Cooled Cored Rolls, Mounted on Unitized Base, Falk Enclosed Gear Box, EM 200-HP AC Motor; (1) Specially-Designed Batch-Off System

### RUBBER MILLS

- 2 - EEMCO 2-ROLL UNI-DRIVE RUBBER MILLS, (1) 26" X 84" 200-HP, Falk Model 21657-A 400-HP Gear Reducer, Ratio 47.49, Output RPM 36.8 RPM, E/M 200-HP Synchronous Motor, 900 RPM, (1) 20" X 22" X 60" 150-HP, Left Hand Mill, Parkersburg Type J-51-33 Gear Drive, S/N L6-104, Ratio 33.48:1, 720 RPM, Lincoln Lube, Westinghouse 150-HP Synchronous Motor, 720 RPM, Both 2300-Volts, Unitized Base
- 1 - ADAMSON 20" X 22" X 60" 150-HP 2-ROLL UNI-DRIVE RUBBER MILL, Parkersburg Size G640D Gear Reducer, Ratio 29.9:1, Trabon Lubrication, 150-HP Synchronous Motor, 600 RPM, 2300-Volts, Unitized Base
- 2 - STEWART-BOLLING 20" X 22" X 60" 150-HP UNI-DRIVE RUBBER MILLS, Stewart-Bolling Gear Reducer, 150-HP Motor
- 1 - VAUGHN 20" X 22" X 60" 150-HP 2-ROLL RUBBER MILL, 150-HP Synchronous Motor, 720 RPM, 2300-Volts
- 1 - 20" X 48" 2-ROLL RUBBER MILL



EEMCO 26" X 84" 200-HP 2-ROLL  
UNI-DRIVE RUBBER MILL



2 OF 3 BIRDSBORO 4-POST HYDRAULIC  
COMPRESSION MOLDING PRESSES

### CALENDER ROLLS

- 2 - FARREL BIRMINGHAM 48" 3-ROLL CALENDER ROLLS, 18" Diameter X 48" Face Rolls, Rotary Ends For Heat/Cool Rolls, 480-Volts

### (11) EXTRUDERS

- 1 - FARREL/BIRMINGHAM 12" RUBBER EXTRUDER, S/N 57A768, L/D Ratio 30:1, Feed Box Opening 23" X 30", Allis-Chalmers 200-HP DC Motor, 1750/1900 RPM, 480-Volt
- 1 - 10" COLD FEED RUBBER EXTRUDER, L/D Ratio 5.5:1, Feed Box Opening 12" X 14", With Lufkin Size D250-235 Gear Reducer, S/N 101, Ratio 24.87:1, 200-HP Motor, 1000/1750-RPM, 500-Volt
- 1 - ROYLE 10" COLD FEED RUBBER EXTRUDER, S/N 3854, 150-HP Motor, 900-RPM, 500-Volts
- 1 - ROYLE NO. 4A 8" COLD FEED RUBBER EXTRUDER, S/N 104144, L/D Ratio 10:1, Roller Feed, 200-HP Motor, 500-Volts
- 3 - ROYLE 6" COLD FEED RUBBER EXTRUDERS, (2) NO. 4, S/N 5059 With L/D Ratio 11:1, S/N 4838 With L/D Ratio 10:1, 1750 RPM, Fincor Class 3000 DC Motor Control, Unitized Base, (1) NO. 3A, L/D Ratio 10:1, 1750 RPM, Fincor Class 3000 DC Motor Control, Unitized Base, All With 150-HP Motor, Roller Feed, 500-Volts
- 3 - ROYLE COLD FEED RUBBER EXTRUDERS, L/D Ratio 10:1, Roller Feed, (1) NO. 3 4.5", S/N 4281, Gear Ratio 15.1:3.1, Belt Drive, 150-HP DC Motor, 1750 RPM, (2) NO. 2 3.25", S/Ns 4049, 3943, Gear Ratio 15:1, 60-HP DC Motor, 1750/2100 RPM, 500-Volts, Unitized Base, S/N 3943 With Fincor Class 3000 DC Motor Control, Both 500-Volts
- 1 - DAVIS STANDARD 2" COLD FEED SILICONE/SOFT RUBBER EXTRUDER, S/N E-366, L/D Ratio 16:1, Gear Ratio 15.5:1, Belt Drive, 12" Sheet Head, 20-HP DC Motor, 440-1720 RPM, 500-Volts, Unitized Base

### TEMPERATURE CONTROLLERS

- 3 - THERMAL CARE/MAYER AUTOTHERM-I MODEL RH090804 TEMPERATURE CONTROLLERS
- 6 - STERLCO STERL-TRONIC TEMPERATURE CONTROLLERS, (2) 29420-AX, (1) 129410-A, (1) GX9410-APX, (2) GX9410-AX

### COMPRESSION MOLDING PRESSES

- 3 - BIRDSBORO 4-POST HYDRAULIC COMPRESSION MOLDING PRESSES, Distance Between Posts 50" X 22", Openings 10"
- 1 - LAKE ERIE STRAIGHT SIDE HYDRAULIC COMPRESSION MOLDING PRESS, Ram Diameter 36", Platen Size 42" X 42", Openings 8"

### SPLITTERS

- 2 - 68" PORTABLE BUN BAND SPLITTERS, Vertical Band Head Travel 36", Traversing Vacuum Table Size 64" X 208", Continuous Band Sharpener, Skid-Mounted, (1) McNEIL FEMCO, GTAC Servo Drive, Control Console, (1) FERRY FEMCO, Entry Edge Trimming Stand With Gravity Roller Table, Waddington Sona-Trol Ultrasonic Measuring & Control System, Both With Hoffman 4208A3 Centrifugal Exhaust Vacuum System, 40-HP, S/N M0685014, 60-HP, S/N M067630
- 1 - TURNER MOD. E CLASS R 57" BUN BAND SPLITTER, S/N 941, 30-HP
- 1 - 52" PORTABLE BUN BAND SPLITTER, Stainless Steel Mesh Chain Belt Conveyor, Continuous Band Sharpener



VAUGHN 20" X 22" X 60" 150-HP  
2-ROLL RUBBER MILL

To view a complete asset list, visit our website @ [www.dovebid.com](http://www.dovebid.com)



FARREL/BIRMINGHAM 12" RUBBER EXTRUDER



10" COLD FEED RUBBER EXTRUDER



ROYLE 4A 8" COLD FEED RUBBER EXTRUDER

## CURING OVENS

- 1 - SANDVIK 72" X 200' 8-ZONE CONTINUOUS ELECTRIC CURING OVEN, S/N 15852 (1980), Opening Size 72" X 12", Conveyor Length 212', 59-1/2" Wide Stainless Steel Sheet Belt, Belt Carriers 60" C.C., Air Belt Tension, (2) Centrex M-Trim Solid State Controls, Fincor IMO 2400-MKII DC Motor Controls, Blowers at Each Zone, Chart Recorders, Insulated Housing, Portable Base, 72" X 30' Inclined Belt Conveyor, Overhead Double Pass 72" X 200' Return Cooling Belt Conveyor
- 1 - JETSTREAM 63" X 191' 7-ZONE ELECTRIC CURING OVEN, S/N 10384, Opening 63" X 12", Conveyor Length 200', 60" Wide Stainless Steel Sheet Belt, Belt Carriers 60" C.C., Manual Belt Tension, (2) Centrex M-Trim Solid State Controls, Fincor IMO 2400-MKII DC Motor Controls, Blowers at Each Zone, Partlow Circular Chart Recorders, Measuring Wheel, Insulated Housing, Payne Engineering Controls, Portable Base, 72" X 30' Inclined Belt Conveyor, Overhead 72" X 200' Return Cooling Belt Conveyor
- 1 - 63" X 191' 7-ZONE CONTINUOUS ELECTRIC CURING OVEN, Opening Size 63" X 12", Conveyor Length 200', 60" Wide Stainless Steel Sheet Belt, Belt Carriers on 60" Centers, Manual Belt Tension, (2) Centrex M-Trim Solid State Controls, Fincor IMO Model 2400-MKII DC Motor Controls, Blowers at Each Zone, Partlow Circular Chart Recorders, Measuring Wheel, Payne Engineering Controls, Insulated Housing, Portable Base, 72" X 30' Inclined Belt Conveyor, Overhead 72" X 200' Return Cooling Belt Conveyor

## (10) SLITTERS

- 1 - McNEIL FEMCO 56" PORTABLE CONTINUOUS BAND SKIVING SLITTER, Vertical Band Head Travel 36", Traversing Vacuum Table Size 56" X 196", Continuous Band Sharpener
- 1 - FEMCO 42" PORTABLE CONTINUOUS BAND SKIVING SLITTER, Vertical Band Head Travel 36", Traversing Vacuum Table Size 42" X 144", Continuous Band Sharpener, Hoffman 40-HP Centrifugal Exhauster Vacuum System, Dust Collector, Runout Table
- 1 - TURNER 58" BAND SLITTER, S/N N/A, Manual Feed, Sterling Speed-Trol Variable Speed Drive
- 1 - 54" 8-LANE PORTABLE HEAVY-DUTY CONTINUOUS SLITTER, S/N N/A, Air Pinch Rolls, Fincor Model 2300 DC Motor Controls
- 1 - FEMCO 52" CONTINUOUS BAND KNIFE SLITTER, S/N 4166, Vertical Band Head Travel 36", Vacuum Table 4' X 10', Hoffman 20-HP Vacuum Blower, Band Sharpener, 10' Inclined Conveyor
- 2 - 48" CONTINUOUS SLITTERS, (1) With Payoff Reel, Variable Speed Control, (1) PORTABLE With 52" X 156" Belt Conveyor, Hydralign Web Aligner
- 1 - RUF 46" CONTINUOUS SLITTER, Payoff Reel
- 1 - BENCH-TOP PULL-THRU SINGLE BLADE SLITTER, Steel Frame Stand
- 1 - 8" PORTABLE CONTINUOUS SLITTING SAW, Side Belt Stock Pullers



SANDVIK 72" X 200' 8-ZONE CONTINUOUS ELECTRIC CURING OVEN

## EDGE TRIMMERS & CUT-TO-LENGTH MACHINES

- 2 - PORTABLE EDGE TRIMMING & CUT-TO-LENGTH MACHINES, (1) 84", With Power Width Adjustment, Digital Length Meter, (1) 60", Emergency Stop, Piece Counter, Fincor Class 3000 DC Motor Control, Both With 3/4-HP Right and Left Edge Trimmers, Cross Cut Circular Blade Cut-To-Length Head, Power Roller Conveyor Table, Air Clamping, Fabco-Air Pancake Line Blade Lubrication
- 6 - PORTABLE BAND CUT-TO-LENGTH MACHINES, (1) 42", With Feed Rolls, Measuring Wheels, 7' Entry and Exit Conveyors, (1) 23", With 10' Bottom and Side Feed Belt Conveyors, (3) 12", With Conveyor Length 20', (1) 2-LANE, With 5' Entry Conveyor, 8' Exit Conveyor
- 1 - CUSTOM 52" CUT-TO-LENGTH MACHINE, Roller Feed Table, Contrex M-Drive Variable Controller, Digital Readout
- 1 - 28" PORTABLE HYDRAULIC CUT-TO-LENGTH MACHINE, Holddowns, 5' Entry and Exit Conveyors
- 2 - GOODMAN PORTABLE TRACTOR BELT PULLER & CUT-TO-LENGTH MACHINES, S/Ns 3335, N/A, Line Speed Tachometer With LCD Display, Red Lion Model SCP Set Point Control, Piece Counter
- 1 - 48" PORTABLE CONTINUOUS EDGE TRIMMER, Belt Conveyor Length 11', 1/4-HP Slitter Motors, Palm Buttons
- 1 - 52" ROLL STAND, With Manual Cutoff Circular Blade
- 1 - 42" FLYING CUTOFF MACHINE, Conveyor Feed, Tension Rolls

## GUILLOTINE SHEARS

- 2 - PORTABLE AIR-OPERATED GUILLOTINE SHEARS, (1) 10", With 12" X 26" Belt Conveyor, (1) 8", With 12" X 4" Infeed Belt Conveyor, 12" X 216" Runout Belt Conveyor
- 1 - 8" PORTABLE HYDRAULIC GUILLOTINE SHEAR, Entry and Exit Holddown Rolls, 12" X 48" Infeed Belt Conveyor, 12" X 192" Runout Belt Conveyor, Photo Electric Eyes

## FINISHING MACHINES

- 1 - CURTIN-HEBERT LIGHTNING BUFFING & SHAVING MACHINE, S/N 053522, 25-HP Motor
- 1 - CURTIN-HEBERT MODEL 370 50" BRUSH SHEET FINISHING MACHINE, S/N 62-648, 25-HP Motor
- 1 - LIGHTNING 48" LEATHER BUFFING MACHINE, S/N 053532

## SPLICERS

- 2 - FECKEN-KIRFEL TYPE R-48 80" SPLICERS, S/Ns M5922, M5923, Web Aligner

## PULLERS

- 4 - 6" PORTABLE DUAL BELT PULLER & COILERS, KLC Digital Readout, Variable Speed Drive



TURNER 58" BAND SLITTER

## COIL HANDLING EQUIPMENT

- 1 - 72" 7-LIVE ROLL CRADLE COIL WINDER, Scissor-Lift Table, Air Tilt Unloading
- 2 - PORTABLE 2-LIVE ROLL CRADLE COIL WINDERS, (1) 70", With Guide Rolls, (1) 68", With Edge Guide and Drive
- 2 - 62" PORTABLE 6-LIVE ROLL CRADLE COIL WINDERS, Fincor Model 2300 Variable Speed Drive
- 10 - ALUMINUM ROTARY COIL PLATFORM TABLES, (4) 42" DIA., (6) 32" DIA.
- 3 - COIL PAYOFF STANDS, (2) 2-COIL PORTABLE, (1) A-FRAME
- 2 - PAYOFF REEL STANDS
- 1 - PORTABLE PAYOFF REEL STAND

## CONTINUOUS MEASURING MACHINES

- 3 - PORTABLE CONTINUOUS MEASURING MACHINES, (1) 60", With (3) Measuring Heads With Federal Electronic Dial Indicators, Roll Drive, Conveyor Length 10', (1) 12", With Veeder-Root Electronic Measuring Device, Conveyor Length 64", (1) With Feed Rolls, Distance Meter, Foot Switch

## BLENDEERS

- 4 - DAY DAYMAX HIGH SHEAR DISPERSION BLENDEERS, (1) MODEL 1000 850-GALLON, S/N 1642, 150-HP Motor, (2) MODEL 330 300-GALLON, S/Ns 89860, 89859 (BOTH 1984), 75-HP Motor, (1) 20-GALLON, S/N 89739A (1989), All With Stainless Steel Water-Cooled Jacketed Mixing Chamber

## LAMINATORS

- 1 - ASTEX 76" CONTINUOUS LAMINATION LINE, Consisting of: 76" Unwind Stand; Unwind Stand, With Nip Roll; 2-Station Unwind Stand, With Nip Rolls; Astex Electric Laminating Oven, Top and Bottom Heat, Opening Size 78" X 8", Oven Length 13', 10' Infeed Conveyor, 14' Exit Conveyor; 58" Trim Stand, With Wolf Big O Rotary Knife Slitters; Wolf Big O Rotary Blade Cross Cutoff; Rewind Stand With Dancer Roll Stand, Fenner M-Drive Speed Controls; (8) Digital Temperature Controls, Operators Console
- 3 - CUSTOM 56" CONTINUOUS LAMINATION LINES, (2) Consisting of: 40" X 36" Infeed Belt Conveyor; 2-Station Adhesive Applicators; 58" Electric Pre-Curing Oven, Oven Length 6', Conveyor Length 20', Watlow Series 945 Digital Process Controls, Ansil Sentry Fire Suppression System; 52" X 69" 7-Drum Steam-Heated Curing Oven, Stainless Steel Drums, Drum Diameter 22"; Cut-To-Length System With Edge Trimmers, 48" X 15' Runout Conveyor; Portable 7-Live Roll Cradle Coil Winder (1) Consisting of: 40" X 36" Infeed Belt Conveyor; 2-Station Adhesive Applicator; 58" Electric Pre-Cure Oven, Oven Length 8', Conveyor Length 20', Ansil Sentry Fire Suppression System, Manual Unwind Laminating Station; 52" X 69" 7-Drum Steam Heated Curing Oven, Stainless Steel Drums, Drum Diameter 22"; 54" X 100' Belt Cooling Conveyor; Cut-To-Length System With Edge Trimmers, Traveling Head Rotary Blade Cross Cut, Air Clamping, 48" X 15' Run-Out Conveyor; Portable 7-Live Roll Cradle Coil Winder
- 3 - PORTABLE STEAM-HEATED LAMINATORS, (1) 72" 7-DRUM, (1) 40" 4-DRUM, Drum Size 40" X 16" Diameter, (1) SINGLE DRUM, Wood's E-Trac Inverter

## DIE CUTTING PRESSES

- 3 - SAMCO 64" X 22" 2-POST HYDRAULIC DIE CUTTING PRESSES, 5-HP Hydraulic System
- 1 - SHERIDAN 36" X 60" DIE CUTTING PRESS, Ram Adjustment 7", Lubrication



DAY DAYMAX MODEL 1000 850-GALLON HIGH SHEAR DISPERSION BLENDER



ASTEX 76" CONTINUOUS LAMINATION LINE



1 OF 3 CUSTOM 56" LAMINATION LINES



HUDSON AP-600 23-1/2" 4-KNIFE PLANER

**DOVEBID**  
Valuation Services

For your appraisal needs, please contact one of DoveBid's valuation professionals at 800.665.1043

As a courtesy to our buyers, DoveBid can provide contact information for shipping companies scheduled to attend this auction. For details, please visit the DoveBid Website at [www.dovebid.com](http://www.dovebid.com) or call our customer care department at 800-665-1042.

**ADHESIVE APPLICATORS**

- 1 - 52" CONTACT ADHESIVE COATING LINE, Consisting of: 2" X 10' Infeed Belt Conveyor; Drop Flow-Type Adhesive Applicator; 50" X 10' Transfer Belt Conveyor; 2-Zone Electric Curing Oven, Oven Length 15', Payne Temperature Controls, Ansol Sentry Fire Suppression System, Conveyor Length 44'
- 2 - 48" ADHESIVE ROLL COATERS, (1) 2-ROLL, With 4' X 8' Conveyor, (1) 2-STATION

**PINCH ROLLS**

- 2 - PORTABLE PINCH ROLL STANDS, 68" & 32"

**CHILLERS**

- 2 - THERMAL CARE/MAYER MODEL TC-1 30-HP REFRIGERATED WATER CHILLERS, Centrifugal Pumps, Recirculation Tank

**ADHESIVE FILLING LINE**

- 1 - NEW WAY ADHESIVE FILLING LINE, Consisting of: New Way Model P No. 64 Single Spout Adhesive Filler, S/N P61184, Capacity Pints and Half Pints; New Way Model C No. 912 Unscrambler, S/N 052984; New Way E55 No. 1703 Continuous Labeler, Portable Base

**PROCESSING EQUIPMENT**

- 1 - HUDSON MODEL AP-600 23-1/2" 4-KNIFE PLANER, S/N H4058, Height Adjustment 11"
- 1 - 8-LANE PORTABLE CONTINUOUS MARKING MACHINE, (8) Matthews Model 6124 Rotary Markers (1990), Belt Conveyor
- 1 - 60" ROLLER LACER
- 1 - BENCH-TOP DRUM MIXER, Dayton Variable Speed Drive
- 4 - KENT K-1304 SOAP STONE DISPENSERS
- 2 - APPLICATION ENGINEERING PORTABLE CHILLERS
- 2 - MILTON-ROY METERING PUMPS, (1) MODEL MBP36B05C1E 1.1-GPH, S/N 197373-1, (1) MODEL MDP15B0405M114 .508-GPH, S/N 201847-1, Both 7500 PSI
- 1 - PORTABLE ROLL STORAGE STAND
- 1 - CUSTOM WATER ABSORPTION TEST UNIT, Tank Size 4' X 8' X 12", Ohaus Model HD 45-Lb. Capacity Solution Balance Scale

**BELT SANDER**

- 1 - TIMESAVERS SPEEDBELT 352-1HD 50" ABRASIVE BELT SANDER, S/N 17925, Top Air Belt Tensioning, Power Belt Elevation, 100-HP



WORTHINGTON ROLLAIR MODEL 100 100-HP ROTARY SCREW AIR COMPRESSOR

**PROCESS ACCESSORIES & SPARE PARTS**

- 5 - SHEET DIES: 8" to 35", 8" to 17", 4" to 13", 2" to 8", 2" to 6"
- 3 - SCREEN HEADS: 18", 10", 8"
- 1 - 150-HP EXTRUDER DRIVE, With Falk Model 2060Y1-LR Gear Reducer, Ratio 1.84:1, Output: 978 RPM, 500-Volts, Skid Base
- 1 - LINKBELT EXTRUDER GEAR REDUCER, Westinghouse 150-HP Motor, 720 RPM
- 1 - FARREL FD-57 1050-HP EXTRUDER GEAR REDUCER, Ratio 13.9:1
- 1 - BOLLING MODEL 20-SB GEAR REDUCER, S/N 214, Ratio 7:1, 720 RPM
- 5 - EXTRUDER BARRELS, 10" X 42", 10" X 40", 10" X 32", 10" X 28", All With Breach Lock, 10" X 24", w/ 10-1/2" X 12" Feed Box Section
- 2 - EXTRUDER SCREWS, (1) 10" X 56", (1) N/A
- 1 - 10" HYDRAULIC BREECH LOCK SECTION
- 1 - 10" EXTRUDER ROLLER FEED SECTION
- 7 - 72" X 22" STAINLESS STEEL LAMINATING DRUMS
- 7 - INTRALOX PLASTIC CHAIN BELTING, (Unused)
- 3 - HOFFMAN EXHAUSTER VACUUMS, MODEL 38303 25-HP, S/N 767172, MODEL 4203 20-HP, S/N 106548, 10-HP PORTABLE

Electric Motors to 200-HP, Brushes, Gear Drives, Shear Blades, Etc.

**SURFACE GRINDER**

- 1 - COVEL STYLE 20 6" X 18" HYDRAULIC SURFACE GRINDER, S/N 16, Walker 6" X 18" Electromagnetic Chuck, Walker Chuck Control, Vertical Head Travel 10", DC Spindle Motor, Motor-Generator Set

**LATHE**

- 1 - LOGAN MODEL 815 10" X 24" C.C. TOOLROOM LATHE, S/N 62692, (48) Feeds .0019 to .1000 IPR, (48) Threads 4 to 224 TPI

**VERTICAL BAND SAWS**

- 1 - DOALL MODEL V-36 36" VERTICAL CONTOUR METAL CUTTING BAND SAW, S/N 36525371, Main Table Size 30" X 30", Auxiliary Table Size 17" X 20"
- 1 - KYSOR-JOHNSON MODEL KV-36 36" VERTICAL CONTOUR METAL CUTTING BAND SAW, S/N 800291, Table Size 57" X 36", Band Speeds 0 to 350 FPM, Blade Welder
- 1 - POWERMATIC MODEL 600 BLADE WELDER/GRINDER, S/N 399125

**DRILLS**

- 1 - ROCKWELL/DELTA MODEL 15-120 RAM-TYPE RADIAL DRILL, S/N 1582208, T-Spotted Coolant Table Size 18" X 26", Vertical Spindle Head Adjustment 25", Horizontal V-Ram Travel 18", (16) Spindle Speeds 175 to 8200 RPM, 1/3-HP Motor
- 1 - H & W 16" SLIDING HEAD BOX COLUMN DRILL, Adjustable Coolant Table Size 12" X 10", 3/4-HP Motor
- 1 - ATLAS MODEL 1020 12" FLOOR-TYPE DRILL, S/N 009320, Adjustable Table Size 9-1/2" X 9-1/2", 1/2-HP Motor
- 1 - DAYTON 13" BENCH-TOP DRILL

**ARC WELDERS**

- 1 - HOBART TIGWAVE-250 250-AMP AC/DC HELIARC WELDER, S/N 92WS03824 (1992), With Cart
- 1 - LINCOLN FLEETWELDER-300 300-AMP AC ARC WELDER, S/N AC59751, With Cart

**STEEL RULE DIE MACHINERY**

- 1 - SANDVIK TYPE LB-196 AIR-OPERATED STEEL RULE DIE BENDER, S/N 1144
- 2 - RICHARDS MULTIFORM BENCH-TOP LEVER-OPERATED STEEL RULE DIE BENDERS, (1) MODEL 5HDSB, S/N 6231, (1) MODEL 5HDAM, S/N N/A
- 2 - BENCH-TOP LEVER-OPERATED STEEL RULE DIE BRIDGERS, (1) RICHARDS MULTIFORM MODEL RBM, S/N 2630, (1) AMERICAN
- 3 - 2" LEVER-OPERATED STEEL RULE DIE SHEARS, (2) RICHARDS MULTIFORM NO. 3, (1) SANDVIK TYPE LK-191
- 1 - 3-ROLL BENCH-TOP SCROLL BENDER, 1/3-HP Motor
- 1 - RICHARDS ELECTROMATIC SUPER DIE MAKER 48" TRIMMER SAW, Throat Depth 48", Table 42" X 52-1/2", 1/4-HP

**MISC. MACHINERY**

- 1 - LIGHT MACHINE MODEL PROLIGHT PROTOTYPE VERTICAL MACHINING CENTER, Table 6-1/4" X 19-1/2", With PC
- 1 - INGERSOLL-RAND WATER CUTTING SYSTEM
- 1 - AMCO 30-TON NON-GEARED OBI PRESS, Stroke 3", Shut Height 5", Bed 20" X 12", 9" Entry and Exit Conveyors
- 1 - 10-TON BENCH-TOP NON-GEARED OBI PRESS, S/N 82786, Stroke 2", With Cam Operated Conveyor Feed, 7" X 30" Entry and Exit Conveyors

**LAB EQUIPMENT**

- 4 - BLUE-M STABIL-THERM BENCH-TOP CONSTANT TEMPERATURE LAB OVENS, (2) MODEL OV-5000-2, S/Ns JT-4295, N/A, Temperature Range 75° to 275° Celsius, (2) MODEL OV-5000-3, S/Ns OV-2338, N/A, Temperature Range 26° to 260°C, All With Chamber Size 27" X 21" X 21", Pow-O-Matic-70 Control
- 1 - EEMCO MODEL B 30-HP LABORATORY MIXER, Dodge TMX Gear Reducer, Opening 6" X 3-1/2", Trabon Lubrication, Reliance Variable Speed Drive, Chart Recorder, Reliance PRM-III 30-HP DC Motor, 1750 to 2300 RPM, 500-Volts
- 1 - ZUMBACH USYS LASER GAUGE
- 1 - SHORE MODEL DR DUROMETER
- 1 - BROOKFIELD RVF VISCOMETER, S/N 74447, With Model RV Spindle Set
- 1 - MONSANTO MOONEY MODEL M-1300 VISCOMETER, S/N 3409C, With Strip Chart Recorder
- 1 - MONSANTO CONE REHOMETER
- 1 - SHORE SRI RELIOMETER, S/N 960
- 1 - FEDERAL SNAP DIAL GAGE STAND
- 1 - GRA-LAB TIMER

**BOILERS**

- 1 - CLEAVER-BROOKS MODEL CB109-500 CB GAS-FIRED PACKAGE BOILER, S/N L-50317, Input: 2,092,000-BTU/Hr., 149.5-GPH, Operating Pressure 200-PSI, Maxim Gas Controls, Feed Water System
- 1 - CONTINENTAL AUTOMATIC GAS-FIRED PACKAGE BOILER, S/N F11B250C-6257-G23-6 (1969), 4100 CFH, Output 8369-MBTU/Hr., EDR 34,870 Sq. Ft., Boiler #14133, General Gas Controls
- 1 - INDUSTRIAL BOILER PFDH502 GAS FIRED PACKAGE BOILER, S/N S-5013, 1720-Lbs./Hr., Power Flame Burner

**HOT HOUSE**

- 1 - 4-BAY GAS-FIRED HOT HOUSE, Bay Size 11' X 13.5' X 12'H, Swing-Out Double Doors

**(12) AIR COMPRESSORS**

- 1 - WORTHINGTON ROLLAIR 100 100-HP ROTARY SCREW AIR COMPRESSOR, Acoustical Housing, 1000-Gallon Capacity Vertical Air Receiving Tank
- 1 - SULLAIR 100-HP ROTARY SCREW AIR COMPRESSOR, Skid-Mounted, 1000-Gallon Air Receiving Tank
- 1 - INGERSOLL-RAND 100-HP 2-STAGE W-TYPE WATER COOLED AIR COMPRESSOR, Skid-Mounted
- 1 - INGERSOLL-RAND MODEL SSR250-AACS 75-HP ROTARY SCREW AIR COMPRESSOR, S/N 23774U798, 250 CFM, 125 PSIG, Acoustical Housing
- 3 - INGERSOLL-RAND 2-STAGE W-TYPE AIR COMPRESSORS, (1) 252BKM 50-HP, S/N 56057, Size 6" X 5" X 5", 870 RPM, (1) 50-C 50-HP, S/N 49599, Stroke 5", 870 RPM, (1) 25-HP
- 1 - GARDNER-DENVER EBEQF 30-HP ROTARY SCREW AIR COMPRESSOR, S/N U42116
- 1 - CURTIS 15-HP 2-STAGE TANK-MOUNTED AIR COMPRESSOR
- 1 - CAMPBELL-HAUSFELD MODEL CT70087 5-HP 2-STAGE Y-TYPE TANK-MOUNTED AIR COMPRESSOR, 75-Gallon Air Receiving Tank
- 1 - SPEEDAIRE 4B236A 3-HP 2-STAGE VERTICAL TANK-MOUNTED AIR COMPRESSOR
- 1 - DAYTON SPEEDAIRE MODEL 1Z991D 1-HP 2-STAGE Y-TYPE TANK-MOUNTED AIR COMPRESSOR, 30-Gallon Air Receiving Tank

**SHOP & FACTORY**

- 1 - TENNANT MOD. 26 ELECTRIC WALK-BEHIND FLOOR SWEEPER, S/N 186-7103
  - 1 - HOFFMAN HOFFCO-VAC MODEL 37E1 PORTABLE VACUUM, S/N 0575089
  - 1 - DONALDSON/TORIT MODEL 2DF-8 DUST COLLECTOR, S/N BB-7768, 10-HP Motor
  - 1 - INTERNATIONAL IND. 260MH CYCLONE DUST COLLECTOR, S/N 540-OMH-94, Hopper Bottom
  - 1 - 20-TON HYDRAULIC H-FRAME SHOP PRESS, 23" Between Uprights, 38" Max. Ram to Bed
  - 1 - PHASE-II NO. 2 HEATED PLATEN ARBOR PRESS, Chromalox E-AR Temperature Control
  - 1 - FAMCO NO. 3-1/2C FLOOR-TYPE COMPOUND ARBOR PRESS
  - 1 - ESB MODEL M-100B FAST CHARGER 100-AMP BATTERY CHARGER, 6-Volt @ 100-Amps, 12-Volt @ 50-Amps
  - 1 - TROY 42" X 48" STAINLESS STEEL STEAM-HEATED DRUM-TYPE COMMERCIAL CLOTHES WASHER, S/N ZA6968-16, Steam Controls, Pump, Drive
  - 1 - SPEED QUEEN ST120CSH STEAM-HEATED TUMBLING DRYER, S/N KTKC9611006218, 10-HP Boiler, Maximum Steam Pressure 125 PSI
  - 1 - AAF MODEL VP-4-085-21B 54289-F 20-HP FAN
  - 1 - 30,000-GALLON NITROGEN STORAGE TANK
- Shop Grinders, Banding Outfits, Time Recorder, Heavy Duty Pallet Racking, Drum Pumps, Drum Carts, 2-Door Flammable Liquid Storage Cabinet, 2-Wheel Barrel Trucks, 2-Wheel Hand Trucks, Dock Carts, Foreman Desks, Fans, Supply Cabinets, Plastic Tub Carts, Stock Carts, Refrigerators, Electric Water Cooler, Drill Cabinets, Safety Cans, Welding Table, Plastic Tote Pans & Racks, Shop Stools, Grease Guns, Picnic Tables, Shelving, Lockers, Truck Tires & Wheels, Steel Platforms, Roll Cleaning Tanks, Stock Racks, Steel Rule Die Racks, Steel Rule Dies, Ladders, Acetylene Cutting Torch Outfit, Forklift Safety Work Platform, Hydraulic Units, Pneumatic Tools, Etc.



PARTIAL VIEW OF  
(24) FORKLIFTS

1 OF 5 KENWORTH K-100E HIGHWAY TRACTORS JOHN DEERE 1250 WHEEL TRACTOR

## HIGHWAY TRACTORS & TRUCKS

- 5 - KENWORTH K-100E TANDEM-AXLE DIESEL SLEEPER CABOVER HIGHWAY TRACTORS, (1) 1988, V/N 1XKED89X1KJ374172, (4) 1987, V/Ns 1XKEDB9X7MJ378889, 1XKEDB9X8HJ370855, 1XKEDB9X3MJ378890, 1XKEDB9XXHJ371313, All With Caterpillar 350 Diesel Engine, 9-Speed Transmission, Air Brakes, Vara-Shield Airlift, Sliding 5th Wheel, 150-Gallon Aluminum Saddle Fuel Tanks, Air Ride Suspension, 11R-22.5 Tires, V/N 1XKEDB9X7MJ378889 (Rear Axle Removed for Repair)
- 2 - NAVISTAR-INTERNATIONAL DIESEL SINGLE-AXLE HIGHWAY TRACTORS, (1) 1989 MODEL 71004X2, V/N 1HSHADBN3LH278467, With 6-Speed Transmission, (1) 1987 MODEL S-1900, V/N 1HSRDBN1HH519050, With 9-Speed Transmission, Both With Diesel Engine, Saddle Fuel Tank, Air Brakes, Air Ride Seat, 11R-22.5 Tires
- 1 - 1988 CHEVROLET C-60 5-TON SINGLE-AXLE FLATBED TRUCK, V/N 1GBG6D1A0J115736, V-8 Engine, 4-Speed Trans, 2-Speed Rear End, 20" Diamond Plate Bed, Steel Bulkhead, Dual Wheels, 8.25-20 Tires
- 1 - 1992 CHEVROLET CHEYENNE C-3500 1-TON SINGLE-AXLE FLATBED TRUCK, V/N 1GBHC34KQNE224583, 350-CI V-8 Engine, 4-Speed Transmission, 12" Diamond Plate Bed, Steel Bulkhead, Dual Wheels, LT225/75R16 Tires
- 1 - 1994 CHEVROLET CHEYENNE C-3500 1-TON SINGLE-AXLE VAN BODY TRUCK, V/N 1GCHC34N4SE111965, 350-CI V-8 Engine, 5-Speed Transmission, 10' Van Body
- 1 - 1976 CHEVROLET C-60 5-TON SINGLE-AXLE VAN BODY TRUCK, V/N CCS626V132634, V-8 Engine, 4-Speed Transmission, 14' Aluminum Van Body, Dual Wheels, 8.25-20 Tires
- 1 - 1986 CHEVROLET CUSTOM DELUXE C-30 1-TON FLATBED TRUCK, V/N 1GBHC34M8GS138879, 350-CI V-8 Engine, 4-Speed Transmission, Gooseneck Ball Hitch, Diamond Plate Bed Length 8', Dual Wheels
- 1 - 1976 CHEVROLET C-30 1-TON UTILITY TRUCK, V/N CC336B166922, 350-CI V-8 Engine, Automatic Transmission, Power Steering and Brakes, Stahl Utility Body, 12-16.5LT Tires
- 1 - 1972 FORD 753 SINGLE-AXLE CONTAINER ROLL-OFF TRUCK, V/N N75FUC99282, V-8 Engine, 4-Speed Trans, Chelsea Power Takeoff and Hydraulic Pump, Hydraulic Winch, Saddle Tanks, 10.00-20 Tires
- 1 - 1979 FORD F-350 1-TON FLATBED TRUCK, V/N F37SUFE2148, V-8 Engine, 4-Speed Transmission, Dual Wheels
- 1 - 1975 FORD CUSTOM 350 1-TON SINGLE-AXLE FLATBED TRUCK, V/N F37YXN23917, V-8 Engine, 4-Speed Transmission, Dual Wheels, 12" Bed, Steel Bulkhead
- 1 - 1979 FORD F-250 3/4-TON UTILITY TRUCK, V/N F27HLFE0806, V-8 Engine, Automatic Transmission, Reading Utility Body
- 1 - 1976 FORD F-350 1-TON PICK-UP TRUCK, V/N N/A
- 1 - 1976 FORD BRONCO 2-DOOR SPORT UTILITY VEHICLE, V/N U15GLC51127, V-6 Engine, 4-Speed Transmission, P215-75R15 Tires

## (22) TRAILERS

- 2 - 1994 DORSEY MODEL AIDT-LSCG 53' SLIDING TANDEM-AXLE ALUMINUM VAN BODY TRAILERS, V/Ns 1DTV11520SA233982, 1DTV11525SA233606, Height 13'6", GVWR 68,000-Lbs., Air Brakes, 11-22.5 Tires
- 5 - FRUEHAUF 48' SLIDING TANDEM-AXLE ALUMINUM VAN BODY TRAILERS, (1) 1987 FB9-F2-48-1-W15-102, V/N 1H2V04820HH059122, GVWR 68,000-Lbs., Air Brakes, 11-22.5 Tires, (4) 1986 MODEL FB9-F2-48, V/Ns 1H2V04822GC018101 (#50), 1H2V04822GC018102 (#52), 1H2V04822GC018104 (#54), 1H2V04824GC018103 (#53), GVWR 69,000-Lbs., Air Brakes, 275/80R-22.5 or 11-22.5 Tires
- 5 - 1978 GREAT DANE 713T-40 40' SLIDING TANDEM-AXLE ALUMINUM VAN BODY TRAILERS, V/Ns 94773 (#33), 94775 (#35), 95776 (#36), 94777 (#37), 94778 (#38), GVWR 68,000-Lbs., Air Brakes, 11-22.5 Tires
- 3 - HOOPER 45' TRAILERS, V/Ns 1H9GN323Q10470937, 1H9GN323Q10470938, 1H9GN323Q10470939
- 1 - FRUEHAUF 40' SLIDING TANDEM-AXLE OPEN-TOP TRAILER, V/N MEZ-594014, Air Brakes, 8.25-20 Tires
- 1 - TBC 40' TANDEM-AXLE FLATBED TRAILER, V/N PT359184, Air Brakes, Diamond Plate Steel Deck, 10.00-20 Tires
- 3 - NEW LONDON 36' TRI-AXLE GOOSENECK EQUIPMENT TRAILERS, V/Ns N/A, Wood Deck
- 1 - CUSTOM 20' TANDEM-AXLE GOOSENECK DROP DECK EQUIPMENT TRAILER, V/N N/A, Disc Brakes, Geared Beavertail Ramp
- 1 - 1973 GREAT DANE MODEL 713T-40 40' ALUMINUM VAN BODY, V/N 94776

## TRACTOR

- 1 - JOHN DEERE 1250 DIESEL WHEEL TRACTOR, S/N 001371, Yanmar 3T95J Diesel Engine, Model 100 Front End Loader Attachment, Forklift Attachment, ROPS

## (24) FORKLIFTS

- 1 - CLARK MODEL C300-Y50 5000-LB. CAPACITY LPG FORKLIFT TRUCK, S/N Y356-287-3602, Lift 130", Forks 48", Solid Tires, Overhead Guard
- 4 - CLARK C500-Y40 4000-LB. CAP. LPG FORKLIFT TRUCKS, S/Ns Y355-0661-5466FA (1984), Y355-0662-5466FA (1984), Y355-197-3526, Y355-199-3326-1276, Lift 127", Forks 48", Cushion Tires, Overhead Guard
- 2 - CLARK MODEL GPX-20 LPG FORKLIFT TRUCKS, (1) 4000-LB. CAPACITY, S/N GPX230-0062-7170KOF (1989), With Lift 123", Solid Tires, (1) 3900-LB. CAPACITY, S/N GPX230-13787170, With Lift 75", Forks 48", Cushion Tires, Overhead Guard
- 1 - HYSTER H25XL 3300-LB. CAPACITY LPG FORKLIFT TRUCK, S/N C001BA332G, Lift 130", Solid Tires
- 2 - CLARK MODEL C500-Y30 3000-LB. CAPACITY LPG FORKLIFT TRUCKS, S/Ns Y235-0041-5595FA, Y235-17-4650, Lift 106", Forks 42", Solid Tires
- 1 - CLARK 3000-LB. CAPACITY ELECTRIC FORKLIFT TRUCK, S/N TM247-13-6846, 3-Stage Mast
- 1 - TOYOTA MODEL 02-2FGC20 2500-LB. CAPACITY LPG FORKLIFT TRUCK, S/N 02-2FGC20-3073, Lift 186", Forks 48", Solid Tires, Overhead Guard
- 1 - KOMATSU MODEL FG25T-11 2500-LB. CAPACITY LPG FORKLIFT TRUCK, S/N 467061A, Lift 128", Forks 48", Side Shift, Solid Tires
- 3 - CLARK MODEL C500-425 2500-LB. CAPACITY LPG FORKLIFT TRUCKS, S/Ns Y355-0115-6375FA (1986), (2) N/A, Lift 122", Forks 42", Solid Tires, Overhead Guard
- 3 - CLARK MODEL C500-Y25 2500-LB. CAPACITY FORKLIFT TRUCKS, S/Ns Y235-11-3700, Y235-0047-5408FA, N/A, Lift 106", Forks 42", Solid Tires
- 1 - CLARK TW-25B 2500-LB. CAPACITY ELECTRIC FORKLIFT TRUCK, S/N TW125-0246-4535FA, Lift 130", Forks 42", Overhead Guard
- 1 - CLARK 2500-LB. CAPACITY ELECTRIC FORKLIFT TRUCK, S/N N/A, Forks 36", Overhead Guard
- 1 - CLARK TM139 2250-LB. CAPACITY ELECTRIC FORKLIFT TRUCK, S/N N/A, Lift 127", Forks 36", Overhead Guard
- 1 - CLARK TM127-0399-5385 2250-LB. CAPACITY ELECTRIC FORKLIFT TRUCK, S/N TM2Y7136846FB, Lift 127", Forks 36", Overhead Guard
- 1 - CROWN MODEL M 1500-LB. CAPACITY ELECTRIC WALKIE-TYPE FORKLIFT TRUCK, Lift 96", Forks 42"

## (20) PALLET TRUCKS

- 18 - CLARK POWRWORKER 4000-LB. CAPACITY ELECTRIC WALKIE-TYPE PALLET TRUCKS, (7) MODEL P40, S/Ns P465-1468-6775, P465-0602-8112, P465-0180-8112, P465-1467-6775, P465-893-3582, P465-9-893-3583, P465-1360-5730, (2) MODEL P40C, S/Ns P465-1609-4120FA, P465-1099-4040FA, (6) MODEL P40E, S/Ns P465-0655-6615A, P465-0251-6775A, P465-465-3880FA, P465-677-6930, P465-1787-7260FB, P465-0280-6615FA, (3) MODEL P40F, S/Ns P465-0097-8112FS, P465-0465-8112FB (1992), P465-0227-8110FB, All With Forks 48"
- 2 - CLARK POWRWORKER 3000-LB. CAPACITY ELECTRIC WALKIE-TYPE PALLET TRUCKS, (1) MODEL P30, S/N 230C-8-2775-475, (1) MODEL P30B, S/N P30B-30-772, Both With Forks 48" Hydraulic Pallet Trucks, Etc.

## AERIAL WORK PLATFORM

- 1 - PARKER 1000-LB. CAPACITY SELF-PROPELLED SCISSOR-LIFT AERIAL WORK PLATFORM, Maximum Platform Height 20', Platform Size 54" X 94", Built-In Battery Charger

## MATERIAL HANDLING EQUIPMENT

- 1 - MAGLINER ME167036 16,000-LB. CAP. 40' ALUMINUM MOBILE YARD RAMP, S/N 12-91-6090, Width 7', Hydraulic Axle Lift
- 2 - PRESTO 3500-LB. CAPACITY SCISSOR-LIFT TABLES, S/Ns 96954, N/A, Platform Size 72" X 48", Roll Turning Rolls, With Fincor Model 2330 Variable Speed Drive
- 1 - WESCO MODEL ESFL-64-30S 1000-LB. CAP. HYDRAULIC DIE LIFT TRUCK, S/N 26453
- 4 - CM LODESTAR ELECTRIC CHAIN HOISTS, (1) 1-TON CAPACITY, (2) 1/2-TON CAPACITY, (1) With 80' I-Beam Runway, (1) With 14' I-Beam Runway, (1) 1/8-TON CAPACITY
- 2 - PNEUMATIC CHAIN HOISTS, (1) YALE 2-TON CAPACITY, With 8' I-Beam Runway, (1) DUFF-NORTON 1/2-TON CAPACITY, With 20' I-Beam Runway
- 1 - FORKLIFT BOOM ATTACHMENT
- 11 - SECTIONS OF ADJUSTABLE STEEL PALLET RACKING

## PACKAGING EQUIPMENT

- 5 - FOOT-OPERATED CARTON STAPLERS, (4) BOSTITCH MODEL 50-C, S/Ns M08862, (3) N/A, (1) STANLEY BOSTITCH MODEL FC95EC, S/N M-10879
- 9 - BETTER PACK MODEL 555L ELECTRIC TAPE DISPENSERS

## (20) SCALES

- 2 - WEIGH-TRONIX 5000-LB. CAPACITY DIGITAL PLATFORM SCALES, (1) S/N 24153, With Platform Size 60" X 60", (1) MODEL DSL6000-05, S/N N/A, With Platform Size 48" X 48", Both With Model WI-127 Digital Readout
- 1 - TOLEDO MODEL 81 5000-LB. CAPACITY IN-GROUND DIAL BEAM SCALE, S/N 10139, Platform Size 9' X 7'
- 1 - TOLEDO 600-LB. CAPACITY DIAL-TYPE PLATFORM SCALE, Platform Size 24" X 27", Gravity Roller Conveyor Mounted on Platform, Weigh-Tronix Model WI-120 Digital Readout, S/N 008549
- 3 - WEIGH-TRONIX DIGITAL PLATFORM SCALES, (2) 500-LB. CAPACITY, S/Ns 3715, 3714, Platform Size 30" X 30", Weigh-Tronix Digital Readout, (1) Platform Size 24" X 24", Model WI-125 10,000-Lb. Capacity Digital Readout
- 3 - TOLEDO DIAL BEAM PLATFORM SCALES, (1) MODEL 31-1821-FR 400-LB. CAPACITY PORTABLE, With Platform Size 21" X 29", Weigh-Tronix Model WI-120 Digital Readout, (1) MODEL 2081 175-LB. CAPACITY BENCH-TOP, S/N 4460, With Platform Size 20" X 20", (1) MODEL 2081 70-LB. CAPACITY PORTABLE, S/N 1600371-1XF, With Platform Size 20" X 20"
- 5 - FAIRBANKS DIGITAL PLATFORM SCALES, (4) 60-LB. CAP. BENCH-TOP, Platform Size 14" X 16", (1) Platform Size 24" X 24", Fairbanks Model H90-3041 LCD Display, S/N G978121-FE
- 2 - TOLEDO OVER/UNDER BALANCE SCALES, (1) MODEL 3180 40-LB. CAPACITY, S/N 368514, (1) SPEEDWEIGH
- 1 - SARTORIUS 220,000-GRAM CAP. DIGITAL BALANCE SCALE
- 2 - DETECTO DIAL PORTION SCALES

## CONVEYOR & CARTS

- 1 - 36" X 15' PORTABLE POSITIVE FEED BELT COMPRESSION CONVEYOR, Top-Mounted Compressing Belt Conveyor
- 2 - 6" X 44' PORTABLE PAD-TYPE POSITIVE FEED COMPRESSION CONVEYORS, Adjustable Top Roller Conveyor Section
- 1 - 24" 2-LANE PORTABLE POSITIVE FEED COMPRESSION BELT CONVEYOR, (2) 12' Lanes, (2) Payoff Reels, Top-Mounted Compressing Belt Conveyors
- 1 - INTEGRATED MATERIAL HANDLING 34" AUTOMATED POWER ROLLER CONVEYOR SYSTEM, Length 160", (2) Cross Chain Sections, Delivery Sections, Control Panels
- 1 - ACSS 6' X 10' 2-LANE AUTOMATED ROLLER CONVEYOR
- 1 - 2-1/2' X 30' INCLINED BELT CONVEYOR
- 2 - 3' X 5' POWER ROLLER CONVEYORS
- 51 - PARDONE COOLING CARTS, (17) 25-Shelf, (32) 13-Shelf, (2) 11-Shelf, All 72" X 48", With Spring-Loaded Swing-Up Shelves
- OVER (20) HYTRAL BELT CONVEYORS, Portable, Inclined, and Stationary

## OFFICE EQUIPMENT

- 1 - ALPHAMERICS CUSTOMLINE MODEL 4666 44" X 48" PLOTTER, With Vacuum Table
  - 2 - CANON COPIERS, (1) NP-6012, (1) NP-2120
- LARGE QUANTITY OF OFFICE FURNITURE, Including: Desks, Credenzas, Chairs, File Cabinets, 2-Door Supply Cabinets, 20-Drawer Card Files, Literature Cabinets, Bookcases, Folding Tables, Etc. Fax Machines, Microwaves, Etc.

To schedule an auction or appraisal call 800.665.1042