

DoveBid
Worldwide

Amsterdam

Atlanta

Bangkok

Barcelona

Boston

Brussels

Chicago

Dallas

Denver

Detroit

Dublin

Dusseldorf

Hartford

Hong Kong

Houston

London

Los Angeles

Melbourne

Milwaukee

Sacramento

San Francisco

San Jose

Seattle

Singapore

Sydney

Tokyo

Toronto

DoveBid On-Location Auction

By order of the U.S. Bankruptcy Court, Eastern District of
Michigan, Southern Division, Case No. 01-57090-JRH,
Chapter 7, Honorable Jeffrey R. Hughes,
Trustee: Mark H. Shapiro, P.C., Bankrupt assets of



CONNOLLY NORTH AMERICA, LLC
Highland Park, Michigan

Leather Finishing & Cutting Facility



Auction

Thursday, December 13, 2001
Beginning at 10am

Preview

Wednesday, December 12, 2001
9am to 4pm and morning of sale

DOVEBID[®]
Business Auctions Worldwide

www.dovebid.com



www.IndustrialAuctioneers.org

On-Location Auction

Thursday, December 13, 2001

Beginning at 10am

Preview

Wednesday, December 12, 2001

9am to 4pm and morning of sale

Auction & Preview Location

By order of the U.S. Bankruptcy Court, Eastern District of Michigan, Southern Division, Case No. 01-57090-JRH, Chapter 7, Honorable Jeffrey R. Hughes, Trustee: Mark H. Shapiro, P.C., Bankrupt assets of



**CONNOLLY
NORTH
AMERICA, LLC**

12225 Oakland Park Blvd.
Highland Park, Michigan

Directions

From Detroit Metropolitan Airport:
Exit airport to I-94 East. Proceed on I-94 approx. 17 miles to M-10 North (John C. Lodge Fwy.) (Exit 215B). Proceed on M-10 North approximately 4 miles to M-8 East (Davison Fwy.). Proceed on M-8 East approx. 1 mile to Oakland Ave. After exiting expressway, turn right onto Oakland Avenue and proceed 3/10 mile to Oakland Park South Entrance on the left. Turn left into entrance, proceed through gate and proceed to sale site on the left. Watch for auction and parking signs.

Terms & Conditions

- Buyers are responsible for all shipping and rigging charges.
- All items are sold AS IS, WHERE IS AND WITH ALL FAULTS.
- DoveBid shall charge and collect from each successful bidder a 13% buyer's premium for each sale at the auction, in addition to the purchase price as bid. Purchasers who pay in the form of certified funds or wire transfer shall receive a discount from the buyer's premium equal to 3% of the purchase price (unless such purchasers bid over the Internet, in which case the discount shall be equal to 1% of the purchase price).
- Each successful bidder must pay a 25% deposit toward the purchase price immediately following the successful bid.
- Applicable taxes will be added to the purchase price of all taxable items.
- Acceptable means of payment include certified funds, wire transfers, Visa, American Express and Mastercard.
- The complete terms and conditions that govern this auction will be distributed at the auction site and/or are available on our website at www.DoveBid.com. The complete terms and conditions may include terms that are unique to this particular auction. Please read them carefully before you bid in the auction. If you participate in the auction, you will be deemed to have read and consented to all of the terms and conditions.

As a courtesy to our buyers, DoveBid can provide contact information for shipping companies. For details, please visit the DoveBid Website at www.dovebid.com or call our customer care department at 800-665-1042.

Finishing Lines



2-COAT FINISHING LINE (#1)



GERMATA MODEL JUMBOCOAT 3400
ROLLER FINISHING MACHINE

FINISHING LINES

- 1 - **2-COAT FINISHING LINE, (#1)**, Consisting of: (3) Pioneer Model PWH 1.4 Conveyorized Drying Station, S/Ns 107, 108, 109 (**ALL 2000**), Conveyor Width 138"; (19) Schwank Perfection Infrared Gas Heaters With Pendant Control, (5) Overall Size 150"W X 15'L X 8'H, (7) Overall Size 150"W X 25'L X 8'H, (7) Overall Size 150"W X 30'L X 9'H; (2) Poletto Model Cabina Spruzzo Type 3400 Spray Coating Booths, (1) Heavy Coat, S/N 1476/1 (**1999**), (1) Top Coat, S/N 1476/2 (**1999**), Both With (12) Gun Turret Style Spray Heads, Water Bed With Poletto Turbo Clean Water Rinse System, Exhaust Fan, Cometa Programmable Control, Micro Motion Flow Sensor, Overall Size 16'W X 20'L X 7-1/2'H; (2) Ransburg Series 220-2K Dual Compartment Programmable Fluid Metering Systems With Regulators; (4) Graco Gluten Air-Powered Pumps; 3.5-kW Nylon Mesh Pass-Thru Conveyor System; Main Control Panel; **Germata Jumbocoat 3400 Roller Finishing Machine**, S/N 992375 (**1999**), Operating Roller Opening 0.1 to 84mm, Maximum Useful Load Width 3400mm, Bridge Rotation Speed 0.9 g/1, Roller Speed 4 to 20 M/1, 11.8-kW Main Motor, Pendant Control, Track-Mounted; Germata Foaming System
- 1 - **2-COAT FINISHING LINE, (#2)**, Consisting of: (2) Poletto Model Cabina Spruzzo Type 3400 Spray Coating Booths, (1) Heavy-Coat, S/N 1476/3 (**1999**), (1) Top Coat, S/N 1476/4 (**1999**), Both With (12) Gun Turret Style Spray Heads With Individual Regulators, Water Bed With Poletto Turbo Clean Water Rinse System, Exhaust Fan, Cometa Programmable Control, Micro Motion Flow Sensor, Overall Size 16'W X 20'L X 7-1/2'H; (2) Ransburg Series 220-2K Dual Compartment Programmable Fluid Metering Systems With Regulators; (2) Graco Gluten Air-Powered Pumps; (2) Graco Series Goia 20 to 1 Air-Powered Pumps; Pioneer Model PWH 1.4 Conveyorized Drying Station, S/N 110 (**2000**), (7) Schwank Perfection Infrared Gas Heaters With Pendant Control, Overall Size 150"W X 18'L X 8'H; (2) Pioneer Cooldown Sections, Overall Sizes 150" X 30'L X 6-1/2'H & 150"W X 10'L X 8'H; Pioneer Model PHW 1.0 Conveyorized Drying Station, S/N 111 (**2000**), (7) Schwank Perfection Infrared Gas Heaters With Pendant Control; 3.5-kW Nylon Mesh Pass-Thru Conveyor System; Main Control Panel; Germata Foaming System



2-COAT FINISHING LINE (#2)

To view a complete asset list, visit our website @ www.dovebid.com

Embossing Machines • Buffing Machine • Measuring Machines



1997

1 OF 2 HERMAN SCHWABE SR 300 300-TON HYDRAULIC DIE CUTTING PRESSES



KRAUSE K1500 HYDRAULIC IRONING & EMBOSsing PRESS



2000

1 OF 2 MOSTARDINI MODEL CONT W/S 3200 3-ROLL CONTINUOUS EMBOSsing MACHINES

BUFFING MACHINE

- 1 - G.I.P.R.A./FICINI BUMA 3100 THRU-FEED HYDRAULIC BUFFING MACHINE, S/N 2561 (1999), Max. Working Width 3100mm (122.05"), Variable Buffing Speed, Variable Roller Distancing Adjustment, Variable Speed Transport Cylinder, Centralized Lube, Leather Straightening Device, Safety Device, 45-kW Main Motor, Tecnofrigo RCA 400 Refrigeration Box, S/N M99136; G.I.P.R.A./FICINI Model DEMA 3100 Debusting Machine, S/N 2554 (1999), Maximum Working Width 3100mm (122.05"), (3) Blowing/Suction Heads, 1.75-kW Low Noise Conveyor Belts, 26-kW Exhaust Blower Motor; F.B.P. Automation Type SC 34.7 C1 Automated Stacker, S/N 2393 (1999), Max. Working Width 3100mm (122.05"), 5-kW Motor, Magelis Programmable Control; P.O.R./C.E. AP1 Azurra 10 Polveri Dust Collector System, S/N CE1132 (1999), 96 Sleeve Ready, 5.5-kW Hydraulic Feed Box Unit, Anti-Vibration Joints; Euroventilatori/C.E. Type EU902 30-HP Exhaust Blower Motor, S/N 99 (1999)

MEASURING MACHINES

- 2 - GER ELECTRONICS TYPE LOTO SOFT 3200 ALL SOFT LEATHER MEASURING MACHINES, S/Ns N991477, (1999), N000704 (2000), Total Width 3500mm (137.8"), Working Width 3120mm (122.83"), Total Length 1700mm (66.93"), Total Height 1550mm (61"), Working Temperature 0° to 45° Celsius, Measuring Speeds 8 to 30MT/Min., Maximum Surface Measurable 999Dm² or 9.99m² or 99.75 FT², Minimum Surface Measurable 30 Dm² or 3 FT², Maximum Thickness 6.0mm (0.24"), Distance Between Photocells 20mm, Programmable Controls With Printer

EMBOSsing MACHINES

- 2 - MOSTARDINI MODEL CONT W/S 3200 3-ROLL CONTINUOUS EMBOSsing MACHINES, S/Ns 645, 608 (BOTH 2000), Length Of (3) Heated Cylinders 3200mm (125"), Felt Conveyor Size 126"W X 90"L, Max. Working Pressure 90 ATM, Working Speed 3 to 20m/min., Maximum Power Of Cylinder 70-Ton, Main Motor 4-kW, Felt Conveyor Motor 1.1-kW, Powermatic Bag-Type Dust Collector, T Line Exor R&D Programmable Controls, S/N 608 with Automatic Peelers
- 7 - GRAIN ROLLS, (1) JAGUAR 1080 (NEW IN BOX), (2) G-GRAIN, (1) MILANO, (1) PRADO/WARWICK, (1) MILL PEBBLE, (1) KICEL

EMBOSsing PRESSES

- 1 - P. MOSTARDINI & FIGLI TIPO-MP6MS HYDRAULIC IRONING & EMBOSsing PRESS, S/N 2783R (1988), Heated Platen, Piston Diameter 600mm (23.62"), Working Plate Size 1000mm X 1500mm (39.37" X 59.06"), Pressure On Working Plate 56KG/CM², Space Between Plates 120mm (4.72"), Working Speed 10 SPM, 40-kW Motor, Digital Temperature Control
- 1 - KRAUSE K1500 HYDRAULIC IRONING & EMBOSsing PRESS, S/N 100055, Heated Platen, Piston Diameter 35", Working Plate Size 40" X 59", Space Between Plates 5-1/2", 50-HP Main Motor, 51.3-kW Hydraulic Unit, Digital Temperature Control
- 9 - GRAIN PLATES, (1) BASKETWEAVE PRODUCTION, (1) CHROME, (1) BASKETWEAVE PRE-PRODUCTION, (1) HAIRCELL GRAIN, (1) G-GRAIN, (2) JAGUAR 1080, (1) CALF GRAIN, (1) MONTICELLO



1988

P. MOSTARDINI & FIGLI HYDRAULIC IRONING & EMBOSsing PRESS

STAKING MACHINES

- 2 - CARTIGLIANO/SYNCO TYPE PAL-3H-3200 3-HEAD STAKING MACHINES, S/Ns 1356, 1357 (BOTH 1999), Maximum Width 3200mm (125"), Transport Speed 7m/min., Leather Thickness 1.2mm, Motorized Infeed & Exit Rolls, 19.5-kW Motor, 1.5-HP Hydraulic Power Unit, Vibration Shock Absorbers, Pedestal-Type Control Panel, Digital Parts Counter
- 1 - CARTIGLIANO/SYNCO TYPE 2HC-3200 SERIES A 2-HEAD STAKING MACHINE, S/N 973 (1993), Maximum Width 3200mm (125"), Transport Speed 7m/min., Leather Thickness 1.2mm, Motorized Infeed & Exit Rolls, 19.5-kW Motor, 1.5-HP Hydraulic Power Unit, Vibration Shock Absorbers, Pedestal-Type Control Panel, Digital Parts Counter



1999

G.I.P.R.A./FICINI BUMA 3100 THRU-FEED HYDRAULIC BUFFING MACHINE

1 OF 2 GER ELECTRONICS TYPE LOTO SOFT 3200 ALL SOFT LEATHER MEASURING MACHINES



2000



1999

1 OF 2 CARTIGLIANO/SYNCRO PAL-3H-3200 3-HEAD STAKING MACHINES



1999

1 OF 3 RELCO/HAMMOND 100" HEAVY-DUTY 2-ROLL ROLLER PRESSES

DIE CUTTING PRESSES

- 2 - HERMAN SCHWABE SR 300 300-TON HYDRAULIC DIE CUTTING PRESSES, S/Ns 43252 (1997), 43221 (1995), Bed Size 96" X 40", Cylinder Diameter 20", Variable Die Height 1" to 8", 40-HP Hydraulic Unit With Heat Exchanger, Allen-Bradley DTAM Plus Programmable Control, Digital Die Height Readout, Pendant Control
- 1 - HERMAN SCHWABE MODEL D SWING ARM CLICKER PRESS, S/N 27093, Ram Size 22" X 24", Table Size 24" X 40", 3-HP Motor
- 1 - ASSOCIATED PACIFIC CLICKER PRESS, S/N 6345, Ram Size 14" X 18", Table Size 18" X 35-1/2"
- 1 - HUDSON MACHINERY MODEL FE-15/A CLICKER PRESS, S/N 11052

ROLLER PRESSES

- 3 - RELCO/HAMMOND 100" HEAVY-DUTY 2-ROLL ROLLER PRESSES, S/Ns REL-011, REL-1016, REL-1017 (ALL 1999), Capacity 100", Table Width 106", Roll Width 104", Roll Diameter 20", Programmable Control, (2) Anver A100M4-61-2-64 1000-Lb. Capacity Vacuum Lifts, Maximum Load Size 10' X 5', (12) 8' X 9' Roller Transfer Tables, (2) 6' X 8' Roller Transfer Tables

ROLL MILLS

- 3 - POLETTO MILLENIUM 12.5 DRU DRUM-TYPE ROLL MILLS, S/Ns PM251, PM252, PM253 (ALL 1999), Drum Diameter 2996mm (117.95"), Drum Width 2080mm (81.89"), Volume 12.870m³, Speed 19.5 RPM, Total Electrical Power 36.8-kW, Bag-Type Dust Collector With 4-HP Blower Motor, Control Panel With Digital Timer, Temperature & Humidity Controls

SEWING MACHINES

- 1 - SINGER INDUSTRIAL SEWING MACHINE, S/N 112W139, 1/2-HP Motor
- 1 - JUKI MODEL LU-1508 INDUSTRIAL SEWING MACHINE, S/N LHOCM04559

DYEING & MIXING EQUIPMENT

- 20 - PORTABLE STAINLESS STEEL MIXING TANKS, (12) 48" Diameter X 48"H, (8) 30" Diameter X 42"H, All With Agitators & Bottom Discharge
- 4 - DYE PUMPING & MIXING LINES, (1) 22-STATION, With Graco Husky 515 Pump Units, Graco Agitators, (2) 11-STATION, Graco Husky 515 Pump Units, (1) 4-STATION, Binks Pump Units, 4-Section Pallet Racking
- 7 - GRACO 207-352 PRESIDENT AIR-POWERED PUMPS
- 8 - LIGHTNIN MODEL EV5P254 MIXERS



2000

1 OF 3 INGERSOLL-RAND MODEL SSR-EP200 200-HP ROTARY SCREW AIR COMPRESSORS

WASTE WATER TREATMENT SYSTEM

- 1 - DANIEL L. BOWERS CO. (D.L.B) WASTE WATER TREATMENT SYSTEM, (1999), Consisting of: (2) Welded Steel 5000-Gallon Accumulation Tanks With Mixers; Motorized 42"W X 26'L Sludge Removal Conveyor; (2) Stainless Steel 5800-Gal. Sludge & Treatment Tanks With 2-HP Lightning Mixers, Steel Leg-Mounted, Flowline Level Controls; Polypropylene 10,000-Gallon Recycle Water Storage Tank, Flowline Ultrasonic Level Sensor; Polypropylene 4200-Gallon Cationic Coagulant Tank; Polyethylene 150-Gallon Chemical Treatment Tank, 350 RPM Mechanical Mixer; Polyethylene 75-Gallon Chemical Coagulant Tank; Allen-Bradley Main Control Panel, Submersible Pumps, Sump Pit Mixers, Pit Pumps, Operators Platform, Etc.

FILTER PRESS

- 1 - NEW ARIES RAM MODEL 1200/60/32-1200MM 45-PLATE FILTER PRESS, S/N NA, 60' Sludge Cake Capacity, 32mm Cake Thickness

WASTE COMPACTOR

- 1 - MCCLAIN MODEL D3W2CY HYDRAULIC WASTE COMPACTOR, S/N 14X4011, 10-HP Hydraulic Unit

AIR COMPRESSORS & AIR DRYER

- 3 - INGERSOLL-RAND MODEL SSR-EP200 200-HP ROTARY SCREW AIR COMPRESSORS, S/Ns F37123U99345, F37121U99344, F37122U99344 (ALL 2000), 892 CFM, Sound Enclosure, Heat Exchanger, Intellisys Digital Control
- 1 - INGERSOLL-RAND MODEL SSR-EP25 25-HP ROTARY SCREW HORIZONTAL TANK-MOUNTED AIR COMPRESSOR, S/N JX1945U00153 (1999), 97 CFM, Heat Exchanger
- 1 - INGERSOLL-RAND T30-7100E15 15/10-HP 2-STAGE HORIZONTAL TANK-MOUNTED AIR COMPRESSOR, S/N 30T-952754
- 1 - INGERSOLL-RAND MODEL TM1900-T THERMAL MASS COMPRESSED AIR DRYER, S/N 00BTM058 (2000)
- 1 - INGERSOLL-RAND NLM 5 FILTER MODULE, S/N 39466164 (2000)

PAINT BOOTH

- 1 - FREE-STANDING DRY FILTER-TYPE PAINT SPRAY BOOTH, 16'W X 6'D X 8'H, (2) Exhaust Fans, Draft Inducer, Explosion Proof Lights

AIR-OFF BOOTH

- 1 - CUSTOM-BUILT AIR-OFF PASS-THRU FINISHING BOOTH, 9'W X 8'H X 200'L, Hydro Therm VGA-300-CON Gas-Fired Low Pressure Steam Boiler, S/N VAG-2000-20 (1994), 3-HP Conveyor Motor, Reliance SP-500 Digital Variable Speed Control, (2) Top-Mounted Air Blowers & Heaters, Foam Panel Insulation, (40) 50-Pole Racks

LAB & TEST EQUIPMENT

- 2 - GRETAG MACBETH COLOR-EYE 7000A COLOR ANALYZERS, Digital Readout
- 2 - PAIRS OF GRETAG MACBETH INSPECTION LIGHTS, (1) SPECTRALIGHT III, (1) SPECTRALIGHT II



NEW ARIES RAM MODEL 1200/60/32-1200MM 45-PLATE FILTER PRESS

RACKING

- 117 - SECTIONS OF ADJUSTABLE STEEL PALLET RACKING, (50) INTERACK, 120"W X 48"D X 24"H, (15) STEEL KING, 100"W X 42"D X 10"H, (52) Size 96"W X 42"D X 20"H, Steel Mesh Decking
- HUNDREDS OF PORTABLE STEEL A-FRAME SHAPE LEATHER HIDE RACKS, Size 42"W X 84"L X 60"H

MATERIAL HANDLING EQUIPMENT

- 2 - TOYOTA 7FGCU25 3500-LB. LPG FORKLIFT TRUCKS, S/Ns 62846, 63922 (BOTH 1999), Side Shift, Lift 276", Solid Tires, Overhead Guard
- 1 - TOYOTA 2FBCA15 2470-LB. ELECTRIC FORKLIFT, S/N 2FBCA15-13605, Side Shift, Lift 185", Solid Tires, Overhead Guard, 36-Volt
- 1 - SOUTHWORTH MODEL LS4-36 4000-LB. CAPACITY 48" X 72" HYDRAULIC LIFT TABLE, S/N 37757-100
- 4 - CROWN 5000-LB. CAPACITY HYDRAULIC PALLET TRUCKS

SHOP & FACTORY

Tennant Electric Floor Machine, 5000-Lb. Capacity Digital Above-Ground Platform Scale, (5) Digital Platform Scales (All 1999), 1000-Lb. Capacity Portable Platform Scale, (3) Portable Pressure Washers, (2) Self-Dumping Hoppers, Work Benches, Hand Tools, Spare & Replacement Parts, Supply Cabinets, Racks, Carts, Shop Vacs, Lockers, Fans, Ladders, Roller Tables, Pallet Trucks, Barrel Carts, Floor Buffer, Foreman Desk, Lunch Tables, Etc.

COMPUTER & OFFICE EQUIPMENT

- 22 - SECTIONS OF PADDED MODULES, With Desktops, Files
- 5 - WOOD U-SHAPED DESK SETS, With Files, Bookcases, Chairs, Etc. Copier, Fax Machine, Laminator, 20'L Formica-Top Conference Table With Chairs, Blueprint Storage Cabinet, Computers, Printers, Typewriter, Paper Shredders, Desks, Computer Desks, Credenzas, File Cabinets, Chest-Type Freezer, Refrigerators, Stove, Dishwasher, Etc.



PARTIAL VIEW OF STEEL PALLET RACKING



1999

DANIEL L. BOWERS CO. (D.L.B) WASTE WATER TREATMENT SYSTEM