

DoveBid  
Worldwide

Amsterdam

Atlanta

Bangkok

Barcelona

Boston

Brussels

Chicago

Dallas

Denver

Detroit

Dublin

Dusseldorf

Hartford

Hong Kong

Houston

London

Los Angeles

Melbourne

Milwaukee

Sacramento

San Francisco

San Jose

Seattle

Singapore

Sydney

Tokyo

Toronto

Tucson



www.industrialauctioneers.org

# DoveBid On-Location Auction

By order of the Owner, Assets of  
**IDEA SYSTEMS, INC.**  
Detroit, Michigan



*Well-Maintained  
Fabricating &  
Mobile Support  
Equipment*

## **Auction**

**Tuesday, February 12, 2002  
Beginning at 10am**

## **Preview**

**Monday, February 11, 2002  
9am to 4pm and morning of sale**

**DOVEBID**<sup>®</sup>  
Business Auctions Worldwide

[www.dovebid.com](http://www.dovebid.com)

# DoveBid

## On-Location Auction

Tuesday, February 12, 2002  
Beginning at 10am

### Preview

Monday, February 11, 2002  
9am to 4pm and morning of the sale

### Location & Preview

By order of the Owner, Assets of  
**IDEA SYSTEMS, INC.**  
13881 Elmira  
Detroit, Michigan

### Directions

From Detroit Metro Airport:  
Exit airport to I-94 East.  
Proceed on I-94 East approx.  
7 miles to M-39 North  
(Southfield Freeway). Proceed  
on M-39 North approximately  
6 miles to Plymouth Road/  
Schoolcraft Exit (Exit 10).  
After exiting expressway, turn  
right (east) and proceed  
approximately 2 miles to  
Schaefer Avenue. Turn right  
(south) and proceed approx.  
1/10 mile to Elmira Street.  
Turn right (west) and proceed  
2/10 mile to sale site on the  
left side. Watch for auction  
and parking signs.



As a courtesy to our buyers, DoveBid can provide contact information for shipping companies scheduled to attend this auction. For details, please visit the DoveBid Website at [www.dovebid.com](http://www.dovebid.com) or call our customer care department at 800-665-1042.

A Buyer's Premium Will Apply at this Sale

# Beam Saw & Punch Line • Rolls • Punches



## BEAM SAW & PUNCH LINE



KALTENBACH TYPE HDM-1300  
54" COLD SAW



W.A. WHITNEY SERIES 790XX HYDRAULIC  
WEB & FLANGE BEAM PUNCH

- Motorized Roller Saw Infeed Conveyor, (2) 10' L X 40" W, (1) 7' L X 40", 15" Centers, Gear Drive Motors
- Kaltenbach Type HDM-1300 54" Cold Saw, S/N 26-230, Capacities: Rounds 16", I-Beam 8" to 40", Tubing 1/2" Wall; Linear Gaging Carriage, Power Work Holding Vise, 20-HP Motor, Console Control, Outfeed Conveyor
- Motorized Roller Saw Outfeed Conveyor, (3) 10' X 4" W, 15" Centers, Gear Drive Motors
- (3) Motorized Stock Feed Racks, 3-Strand, 90°, Load Transfer System, Gear Drive Motors
- Motorized Roller Punch Infeed Conveyor, (4) 10' L X 40" W, 15" Centers, Gear Drive Motors
- W.A. Whitney Series 790XX Hydraulic Web & Flange Beam Punch, S/N 25902, W.A. Whitney 805-488 100-Ton Capacity Hydraulic Flange Punch, Circuit Master 5-HP Hydraulic Unit
- W.A. Whitney Model 790-377 100-Ton Capacity Web Punch, Racine 10-HP Hydraulic Unit, Control Console, Capacities of Flange & Web Punches: 100 Short Tons, Length of Stroke 1-5/8", Diameter of Slug Hole 1-9/16", Maximum Hole Diameter 1-1/2"
- Motorized Roller Punch Outfeed Conveyor, (5) 10' L X 40" W, 15" Centers, Gear Drive Motors

## BENDING ROLLS

- 1 - BUFFALO NO. 2VBR PYRAMID-TYPE VERTICAL BENDING ROLL, S/N 61-0587, Adjustable Roll Tonnage 50, Adjustable Roll Travel 5-3/8", Lower Roll Centers 18", Roll Diameter 16-1/2", Roll Speed 7.3 RPM, Linear Speed of Workpiece 31 FPM, Capacities: Angles 5" X 3/8", Flat on Flat 9" X 1-1/4", Channel 9 @ 20#, Beam 8 @ 18#, Rounds 2-3/4", Squares 2-1/2", 20-HP Motor
- 1 - NIAGARA 4' INITIAL-TYPE POWER BENDING ROLL, S/N N/A, 1-HP Motor

## PUNCHES

- 1 - W.A. WHITNEY MODEL 770-115 70-TON HYDRAULIC C-FRAME PUNCH, S/N 770-115-22935
- 1 - ROTEX MODEL 8A53 18-STATION BENCH-TOP ROTARY HAND PUNCH, S/N 11157, Throat 12"

## SHAPE CUTTER

- 1 - I.T.E. HEATH MODEL UG46 ULTRAGRAPH DC SERIES SHAPE CUTTER, S/N 68573, Table Size 48" X 60", Jackknife Arm



BUFFALO NO. 2VBR PYRAMID-TYPE  
VERTICAL BENDING ROLL

To view a complete asset list, visit our website @ [www.dovebid.com](http://www.dovebid.com)



W.A. WHITNEY 765-390 150-TON  
4-POST HYDRAULIC BAR SHEAR



HYDRA-TOOL (HTC) MODEL 500-10A 10' X 1/2"  
HYDRAULIC SQUARING SHEAR



PEDDINGHAUS MODEL 210 SUPER 20  
UNIVERSAL IRONWORKER



HYDRA-TOOL (HTC) 300-TON  
HYDRAULIC PRESS BRAKE

## BAR SHEARS

- 1 - W.A. WHITNEY MODEL 765-390 150-TON 4-POST HYDRAULIC BAR SHEAR, S/N 765-390-26840, Distance Between Posts 14-1/2" X 9-1/2", Ram Dia. 6", Hydraulic Unit, Rail-Mounted Shuttle Car for Angle, Flat & Structural Square Dies, Entry & Exit Roller Conveyor
- 1 - W.A. WHITNEY MODEL 764-060 60-TON 4-POST HYDRAULIC BAR SHEAR, S/N 764-060-39047, Distance Between Posts 12" X 9-1/2", Angle & Flat Die, 10-HP Hydraulic Unit

## SHEAR

- 1 - HYDRA-TOOL (HTC) 500-10A 10' X 1/2" HYDRAULIC SQUARING SHEAR, S/N A476982, Table 25" X 124", Front Operated Power Back Gage, Top-Mounted Hyd. Unit

## BRAKES

- 1 - HYDRA-TOOL (HTC) 300-TON HYDRAULIC PRESS BRAKE, S/N 463590, Bed Length 144", Throat 8", Distance Between Housings 126", Front-Operated Manual Back Gage, Top-Mounted Hydraulic Unit
- 1 - KEENE 8' HAND BENDING BRAKE, S/N N/A

## IRONWORKERS

- 1 - PEDDINGHAUS 210 SUPER 20 UNIVERSAL IRONWORKER, S/N 441245987400, Capacities: Shearing: Flats 150 X 22mm or 250 X 15mm, Angles 90° 150mm X 15mm, 45° 100mm X 14mm, Tees 150mm X 15mm, Beams & Channel 150mm X 16mm, Rounds 55mm, Squares 50mm; Notching: Plate 16mm, Angles & Tees 90mm X 13mm; Punching: 150 Short Tons; Length of Stroke 34mm, 10-HP
- 1 - BUFFALO #1-1/2 UNIVERSAL IRONWORKER, S/N N/A, Capacities: Punching: 1-1/16" Diameter X 3/4" Thick, 7/8" Diameter X 7/8" Thick; Notching: Angles 3" X 3" X 3/8", Flanges 4" to 7" Beam, Channels 4" to 6", Tees 3" X 3" X 3/8", Plate 3/8"; Depth of Cut 2-3/4", 3-HP Motor
- 1 - BUFFALO NO. 1/2 UNIVERSAL IRONWORKER, S/N 64Z-2661, Shearing: Plate 1/2", Flats 1-1/16" X 5/8" or 13/16" X 3/4"; Cutting: Bar 4" X 4" X 1/2", Angles Square 3" X 3" X 5/16", Tees 3" X 3" X 3/8", Rounds 1-5/8", Punching: 1-1/16" X 5/8" or 13/16" X 3/4"; Notching & Coping
- 1 - KLING NO. 4 UNIVERSAL IRONWORKER, S/N 2981, Shearing: Flats 5/8" X 6", Squares 1-1/2", Rounds 1-3/4", Plate 1/2", Angles Square 4" X 4" X 3/8", Tees Square 3" X 3" X 3/8"; Punching: 13/16" Hole Thru 3/4" Plate; Coping: I-Beams & Channel 6", Angles 3" X 3" X 5/16", Plate 5/16"
- 1 - KLING/RYERSON NO. 4 IRONWORKER, S/N 402814, Capacities: Shearing: Plate 1/2", Flats 5/8" to 6", Squares 1-1/8", Rounds 1-3/4", Angles Square 4" X 4" X 3/8", Angles Miter 3" X 3" X 5/16", Tees Square 3" X 3" X 3/8"; Punching: 13/16" Hole Thru 3/4" Plate; Coping: I-Beams & Channels 6", Angles 3" X 3" X 5/16", Plate 5/16"
- 2 - KLING UNIVERSAL IRONWORKERS, S/Ns 2990, 81013

## (26) MILLER WELDERS

- 2 - MILLER BOBCAT 225G CC/CV AC/DC 8000-WATT WELDING POWER GENERATORS, S/Ns KG077516 (1996), KD540960 (1993), Onan Performer 16 Gas Engine
- 1 - MILLER MODEL MP-65E 650-AMP CONSTANT POTENTIAL DC ARC WELDING POWER SOURCE, S/N HE805110, With Millermatic 30E Wire Feed
- 5 - MILLER DELTAWELD CONSTANT VOLTAGE DC ARC WELDING POWER SOURCES (ALL 1990), (2) MODEL 651 650-AMP, S/Ns KA858130, KA848419, (3) MODEL 451 450-AMP, S/Ns KA854815, KA852029, KA854485, All (5) With Miller 24V Wire Feed
- 2 - MILLER MODEL MP-45E 450-AMP CONSTANT POTENTIAL DC ARC WELDING POWER SOURCES, S/Ns HH094324, HJ146747, Miller S-52E Wire Feed
- 1 - MILLER MODEL 330A/BP 300-AMP AC/DC INERT GAS WELDER, S/N T461875, Miller Radiator 1 Cooling System
- 3 - MILLER 300-AMP DC ARC WELDERS, (1) GOLD-STAR 300SS, S/N JA415823, (2) MODEL SRH-333, S/Ns HJ146468, HJ112474
- 6 - MILLER MODEL SRH-303 300-AMP CONSTANT CURRENT DC ARC WELDING POWER SOURCES, S/Ns JA388416, JA367949, HD680725, HJ217885, JA388436, JA367895
- 2 - MILLER MODEL CP-250TS 250-AMP CONSTANT POTENTIAL DC ARC WELDERS, S/Ns HE750950, HE773607, Both With Millermatic 30E Wire Feed
- 1 - MILLER MODEL CP-250SM 250-AMP CONSTANT POTENTIAL DC ARC WELDER, S/N T446530, Miller S-52E Wire Feed
- 2 - MILLER MODEL AEAD-200LE 200-AMP CONSTANT CURRENT AC/DC WELDER GENERATOR SETS, S/Ns JJ487638, JJ487651 (BOTH 1988), Onan Performer 18 XSL Gas Engine
- 1 - MILLER MARK VLI-2 MULTIPLE OPERATION CONSTANT CURRENT DC ARC WELDING POWER SOURCE, S/N JC607133

## (42) LINCOLN WELDERS

- 2 - LINCOLN MODEL R3S-600 600-AMP DC WELDING POWER SOURCES, S/Ns AC304222, AC304217, Miller S-52E Wire Feed
- 4 - LINCOLN IDEALARC R3S-325 325-AMP DC WELDING POWER SOURCES, (1) CONSTANT VOLTAGE, S/N AC526056, With Millermatic 10E Wire Feed, (3) S/Ns AC444628, AC541188, AC580361, With Lincoln LN-7 Wire Feed
- 9 - LINCOLN IDEALARC MODEL R3M-300 300-AMP DC ARC WELDERS, S/Ns AC281550, AC255783, AC288442, AC249432, AC281549, AC227816, AC249430, AC215650, AC251660
- 12 - LINCOLN IDEALARC MODEL TM-300/300 300-AMP AC/DC ARC WELDERS, S/Ns AC201230, AC201237, AC201233, AC201241, AC169320, AC201239, AC201231, AC200238, AC202701, AC201229, AC200232, AC201245
- 2 - LINCOLN IDEALARC R3S-250 250-AMP DC WELDING POWER SOURCES, S/Ns AC396778, AC444556
- 13 - LINCOLN IDEALARC 250-AMP AC ARC WELDERS, S/Ns AC849287, AC480126, AC615293, AC415458, AC615707, AC479984, AC649285, AC649288, AC608585, AC496385, AC615278, AC649284, AC651221



TO 1996

PARTIAL VIEW OF 80 WELDERS

See us on the web  
[www.dovebid.com](http://www.dovebid.com)



# Saws and Toolroom Equipment



1999

HEM MODEL V120HA 20" UNIVERSAL METAL CUTTING BAND SAW



1997

BRIDGEPORT 2-HP VARIABLE SPEED VERTICAL MILL



INDUMA PLAIN HORIZONTAL MILLING MACHINE

## MISC. WELDERS

- 1 - AIR PRODUCTS MODEL DC300HR 300-AMP DC ARC WELDING POWER SOURCE, S/N HH044534
- 6 - HOBART M-300 300-AMP ARC WELDERS, S/Ns 12CW49881, 12CW72956, 12CW72312, 12CW57715, 12CW57713, 12CW72315
- 5 - AIRCO BUMBLEBEE MODEL 3DDRS-24C 300-AMP DUAL RANGE DC RECTIFIERS, S/Ns HD728038, HD731408, HD728043, HD728036, HD728045

## BAND SAWS

- 1 - HEM MODEL V120HA 20" UNIVERSAL METAL CUTTING BAND SAW, S/N 706299 (1999), Capacity: at 90° 18" X 24", at 45° 18" X 16", Table Size 25" X 26-1/2", Blade Speeds 75 to 400 FPM, Power Saw & Shuttle Vise, 48" Power Shuttle Feed, Coolant System, 7-1/2-HP Motor, Programmable Control
- 1 - ARMSTRONG-BLUM/MARVEL SER. 81A8 MODEL 81A8-M35-M5 18" UNIVERSAL METAL CUTTING BAND SAW, S/N E323788, Capacity 18" X 20", Table 30" X 33", Blade Speeds 60 to 400 FPM, Power Clamping, Automatic Shuttle Feed, Coolant System
- 1 - POWERMATIC MODEL 87 20" VERTICAL CONTOUR METAL CUTTING BAND SAW, S/N 66-7419, Table Size 24" X 24", Blade Speeds 40 to 4000 FPM, Blade Welder/Grinder, Coolant System
- 1 - W.F. WELLS MODEL W-9 9" X 18" HORIZONTAL METAL CUTTING BAND SAW, S/N W31836, Blade Speeds 60 to 300 FPM, Coolant System, 3/4-HP Motor

## HACK SAWS

- 1 - RACINE HYDRAULIC SHEAR CUT POWER HACK SAW, Capacity 12" X 12", Speeds 60 to 130 SPM, 3-HP Motor
- 1 - PEERLESS 11 X 11 CAP. HORIZONTAL POWER HACK SAW, S/N M11-1234-66, Coolant System, 3-HP Motor

## CUTOFF SAWS

- 2 - 20" ABRASIVE CUTOFF SAWS, (1) STONE TYPE M-75, S/N 0095, 7-1/2-HP Motor, (1) S/N N/A, 10-HP Motor

## FABRICATING EQUIPMENT

- 1 - NIBBLER FACTORY JUNIOR C-FRAME NIBBLER, S/N 25141, Capacity 1/8"
- 1 - KID MODEL NO. 3 BENCH-TOP CORNER NOTCHER, S/N N/A

## MILLING MACHINES

- 1 - MISAL/CERVINA MODEL 1952 PLAIN HORIZONTAL MILLING MACHINE, S/N 342, Table Size 12-1/2" X 55", Spindle Speeds 25 to 1000 RPM, Coolant System, Vertical Milling Attachment
- 1 - INDUMA PLAIN HORIZONTAL MILLING MACHINE, S/N 723319, Table Size 11-1/2" X 60", Spindle Speeds 30 to 1500 RPM, Coolant System, Vertical Milling Head Attachment
- 1 - BRIDGEPORT 2-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N BR276802 (1997), Table Size 9" X 42", Spindle Speeds 60 to 4200 RPM, Power Feed Table, Bijur Lubrication, Coolant, Acu-Rite Millmate 2-Axis Digital Readout
- 2 - BRIDGEPORT 1-HP 8-SPEED VERTICAL MILLING MACHINES, S/Ns 12BR20292, 12BR82213, Table Size 9" X 42", Spindle Speeds 80 to 2720 RPM, Coolant System

## LATHES

- 2 - LODGE & SHIPLEY QUICK CHANGE GEARED HEAD LATHES, (1) MODEL 16/20 20" X 60" C.C., S/N 31018, Spindle Speeds 16 to 485 RPM, Hole Thru Spindle 2", (1) 14" X 36" C.C., S/N 34787, Spindle Speeds 18 to 540 RPM, Hole Thru Spindle 1-3/4", Thread Chasing Dial, Coolant System, Both With Feeds .060 to .140 IPR, Threads 3 to 128 TPI, Taper Attachment
- 1 - SOUTH BEND 20" X 48" C.C. CONE HEAD LATHE, S/N N/A, Threads 2 to 112 TPI, Hole Thru Spindle 1-1/2"
- 1 - WARNER & SWASEY NO. 4A M-1500 SADDLE-TYPE TURRET LATHE, S/N 612903, Spindle Speeds 8 to 212 RPM, Hole Thru Spindle 8", 6-Position Turret, Coolant System, Stock Feed

## GRINDERS

- 1 - BROWN & SHARPE NO. 2 6" X 18" HAND FEED SURFACE GRINDER, S/N N/A, 6" X 18" Electromagnetic Chuck & Control, 1-HP 3300 RPM Spindle
- 3 - DOUBLE-END PEDESTAL GRINDERS, (1) QUEEN CITY MODEL 11F 12", S/N 248310, 5-HP Motor, (1) CLEVELAND 10", S/N 2326, 2-HP Motor, (1) BALDOR 6", S/N A-559-343, 1/2-HP Motor
- 1 - PUNCH PRODUCT 6" SINGLE-END TOOL GRINDER, S/N 748-588, 1/2-HP



HANSFORD/DAVIS MODEL 15 KEYSEATER

## RADIAL DRILLS

- 1 - ASQUITH 4-60DI 4' X 14" COLUMN RADIAL DRILL, S/N OD110451, Base Size 31" X 50", Box Table 24" X 18" X 12", Spindle Speeds 42 to 1130 RPM, Feeds .006 to .015 IPR, Quill Travel 12", Power Elevation & Clamping, Coolant System
- 1 - MAS VR4 3' X 12" COLUMN RADIAL DRILL, S/N 8383, Base 29" X 56", Table 30" X 36", Spd. Speeds 1 to 2000 RPM, Feeds .900 to 1 IPR, Quill Travel 10", Power Elevation & Clamping, Coolant, 5.8-kW Motor

## DRILLS

- 2 - VARIABLE SPEED FLOOR-TYPE DRILLS, (1) BOISE CRANE 2525 24", S/N 6652159, Table 14" X 16", Spindle Speeds 60 to 900 RPM, (1) POWERMATIC 1200 20", S/N 67-2848, Table 15-1/2" X 18", Spindle Speeds 125 to 1800 RPM, 1-HP
- 2 - FLOOR-TYPE DRILLS, (1) ROCKWELL 20", S/N 126-8614, Table Size 15-1/2" X 18", 1-HP Motor, (1) DELTA 17", S/N 58-107, Table Size 12-1/2" X 14-1/2", 3/4-HP Motor
- 1 - BUFFALO NO. 16 16" SLIDING HEAD DRILL, S/N 57-267, Table Size 14" X 18", 3/4-HP Motor
- 1 - KUAN TAI MODEL KTD-16L 14" TABLE-TYPE DRILL, S/N R017, Table Size 10" Dia., 1/2-HP Motor

## KEYSEATER

- 1 - HANSFORD/DAVIS MODEL 15 KEYSEATER, S/N 15-1481 (1999), Table 20" X 31", Keyway Cutting Cap. 1/16" to 1-1/2", Stroke 4-1/2", Speeds 16 to 60 SPM, 2-HP Motor



ASQUITH MODEL 4-60DI 4' X 14" COLUMN RADIAL DRILL

## MISC. MACHINERY

- 1 - ZERO BLAST-N-PEEN 659-14 SHOT BLAST MACHINE, S/N 7126, 42" X 26" X 24", Dry Filter & Reclamation Unit
- 1 - GOULD & EBERHARDT 20" TO 24" INDUSTRIAL SHAPER, S/N 246, Table 24" X 14" X 15", 2-HP, 14" Vise
- 1 - SCRIPTA BENCH-TOP ENGRAVING MACHINE, S/N 4300
- 1 - ENERPAC EER-441 HYDRAULIC KNOCKOUT UNIT, S/N A08-003, 1-HP Power Supply
- 1 - 10" TILTING ARBOR TABLE SAW, S/N N/A, Table Size 32" X 46"
- 1 - DOUBLE-END CABINET BASE TUMBLER, S/N N/A

## ACCESSORIES

- 1 - TROYKE BH15 15" PRECISION ROTARY TABLE
  - 3 - SHAPER VISES, 16", 4", 8"
  - 3 - MACHINE VISES, (1) BRIDGEPORT 6", (1) 6" TILTING, (1) 6"
- R-8 Tooling, Mill & Lathe Tooling, Collets, Toolholders, Etc.

## INSPECTION EQUIP.

- 3 - CAST IRON SURFACE PLATES, (2) 47" X 108", (1) 48" X 48"
- 1 - LUFKIN 26" HEIGHT GAGE
- 1 - MITUTOYO 10 PIECE MICROMETER SET, To 12"

# Mobile Support • Computer & Office Equipment



CONVENTIONAL SLEEPER CAB TRUCK TRACTORS



3 OF 5 BRODERSON LPG HYDRAULIC CARRY DECK CRANES



MILWAUKEE CRANE 10-TON CAP. DOUBLE GIRDER TOP RUNNING BRIDGE CRANE



VIEW OF FORD STAKE AND PICK-UP TRUCKS



PARTIAL VIEW OF FORKLIFTS AND SCISSOR-LIFT AERIAL WORK PLATFORMS



PARTIAL VIEW OF OVER 400,000-LBS. OF STEEL STOCK

**DOVEBID**  
Valuation Services

For your appraisal needs, please contact one of DoveBid's valuation professionals at 800.665.1043

## CARRY DECK CRANES

- 1 - BRODERSON MODEL 1C2002B LPG HYDRAULIC CARRY DECK CRANE, S/N 48175, Carry Deck Capacity 17,000-Lbs., Boom Reach 50', 15' Boom Extension, 360° Boom Rotation, Hydraulic Outriggers, Ford CSG649 112-HP 6-Cylinder LPG Engine, Overhead Guard
- 1 - BRODERSON RTR-2003A LPG HYDRAULIC CARRY DECK CRANE, S/N 159B, Carry Deck Capacity 10,000-Lbs., Boom Reach 64', 15' Boom Extension, 360° Boom Rotation, Hydraulic Outriggers, Chrysler Model HB225 97-HP 6-Cylinder LPG Engine, Enclosed Cab
- 3 - BRODERSON LPG HYDRAULIC CARRY DECK CRANES, (1) MODEL 1C802D, S/N 162405, Boom Reach 40', (1) MODEL 1C81B, S/N 113427, (1) MODEL 1C81A, S/N 590B, Both With Boom Reach 30', All (3) With Carry Deck Capacity 12,000-Lbs., 10' Boom Extension, 360° Boom Rotation, Hydraulic Outriggers, Continental TM27 64-HP LPG Engine, Overhead Guard

## BRIDGE CRANES & HOISTS

- 1 - MILWAUKEE CRANE 10-TON CAP. DOUBLE-GIRDER TOP RUNNING BRIDGE CRANE, S/N 558, Span 50', Approximately 20' Under Hook, 6-Way Pendant Control
- 4 - 5-TON CAP. SINGLE-GIRDER BRIDGE CRANES, (2) TOP RUNNING, (1) With Span 40', Approximately 15' Under Hook, (1) With Span 25', Approximately 12' Under Hook, (2) UNDERSLUNG, Span 40', 6-Way Pendant Control, (1) With Approx. 25' Under Hook, (1) With Approx. 12' Under Hook, All (4) With 6-Way Pendant Control
- 4 - R&M SHEETMASTER II 1/2-TON CAPACITY ELECTRIC CABLE HOISTS, S/Ns 164001BR, (3) N/A, 6-Way Pendant Control

## MATERIAL HANDLING EQUIPMENT

- 1 - CLARK C500Y100 9725-LB. CAPACITY LPG FORKLIFT TRUCK, S/N Y6851764427, Lift 162", Cushion Tires, Overhead Guard
- 1 - CLARK MODEL CGP30 5000-LB. CAPACITY LPG FORKLIFT TRUCK, S/N P365L-0131-9395FB, Side Shift, Lift 189", Solid Tires, Overhead Guard
- 3 - NISSAN LPG FORKLIFT TRUCKS, (2) MOD. PH02A25V 4100-LB. CAPACITY, S/Ns PH02-904520, N/A, Side Shift, Lift 187", Pneumatic Tires, (1) 4000-LB. CAP., S/N N/A, Lift 160", Solid Tires, Both With Overhead Guard
- 2 - NARO 2034HT 750-LB. CAPACITY ELECTRIC/HYDRAULIC SCISSOR-LIFT AERIAL WORK PLATFORMS, S/Ns N/A, Platform Size 34-1/2" X 98", Maximum Work Height 26", 24-Volt
- 2 - CUSHMAN TYPE F 4-WHEEL ELECTRIC CARTS, S/Ns 898336-9010, 898336-9011, 36-Volt
- 4 - E-Z-GO 4-WHEEL ELECTRIC GOLF CARTS

## TRUCK TRACTORS

- 1 - 1990 PETERBILT TANDEM-AXLE CONVENTIONAL SLEEPER CAB TRUCK TRACTOR, V/N 1XPFD89XL295895, Caterpillar Model 3406B Diesel Engine, Eaton Fuller Roadranger 9-Speed Transmission, GVWR 80,000-Lbs., Air Ride Suspension
- 1 - 1985 KENWORTH TANDEM-AXLE CONVENTIONAL SLEEPER CAB TRUCK TRACTOR, V/N 1XKWD89XOFS324142, Caterpillar Model 3406DI Diesel Engine, Eaton Fuller 8-Speed Transmission, GVWR 49,023-Lbs., Air Ride Suspension
- 1 - 1985 FORD AEROMAX L-9000 TANDEM-AXLE CONVENTIONAL SLEEPER CAB TRUCK TRACTOR, V/N 1FDYA92X2FVA01706, Cummins Model N-14 Diesel Engine, Eaton Fuller 10-Speed Transmission, GVWR 48,000-Lbs., Air Ride Suspension

## VEHICLES

- 1 - 1987 FORD F800 SINGLE-AXLE STAKE TRUCK, V/N 1FDXT84A3HVA46441, 19'L Stake Bed, Ford 7.8L Diesel Engine, 5-Speed Manual Transmission, GVWR 32,600-Lbs.
- 1 - 1989 F-350 XLT LARIAT 1-TON PICK-UP TRUCK, V/N 2FTJW35M7KCA85205, Ford 7.3L Diesel Engine, Automatic Transmission, Crew Cab, Air-Conditioning, Dual Rear Wheels, GVWR 10,000-Lbs.
- 1 - 1995 FORD F-250 XLT 3/4-TON PICK-UP TRUCK, V/N 1FTHX25H9SKB20850, Ford 5.0L V-8 Gas Engine, Auto. Trans., Extended Cab, Air-Conditioning, GVWR 8800-Lbs.
- 1 - 1990 FORD F-150 XLT LARIAT 1/2-TON PICK-UP TRUCK, V/N 1FTEF15N6LLA86206, 5.0L V-8 Gas Engine, Automatic Transmission, Air Conditioning, AM/FM Cassette Stereo

## TRAILERS

- 1 - 1984 DORSEY 42' SLIDING TANDEM-AXLE FLATBED TRAILER, V/N N/A, Wood Decking
- 1 - 1971 DACO 40' EXTENDABLE BED SLIDING TANDEM-AXLE TRAILER, V/N A71821, Steel Decking
- 1 - 1969 TRAILMOBILE A11A1AAT 40' SINGLE-AXLE ALUMINUM VAN BODY TRAILER, V/N F35799
- 1 - TANDEM-AXLE ALUMINUM VAN BODY STORAGE TRAILER, V/N N/A

## PAINT BOOTH

- 1 - 2-STATION FREE-STANDING DRY FILTER-TYPE PAINT BOOTH, (2) 10' X 10' Filter Sections, Exhaust Blowers

## AIR COMPRESSOR

- 1 - KELLOGG-AMERICAN 10-HP 2-STAGE HORIZONTAL TANK-MOUNTED AIR COMPRESSOR, S/N 120901

## STEEL INVENTORY

OVER 400,000-LBS. OF STEEL STOCK.

Including: I-Beams to 60' Lengths, Tubes, Angles, Channels, Flats, Rounds, Pipes, Tees; Stainless, Hot & Cold Rolled; Various Sizes & Lengths

## SHOP & FACTORY

- 1 - RIDGID MOD. 300 POWER PIPE THREADER, Tri-Stand
- 1 - KALAMAZOO 4" VERTICAL BELT SANDER, S/N S460D-899005, 1-HP Motor
- 1 - PORTER-CABLE 3" VERTICAL BELT SANDER, Table Size 12" X 17", 1/4-HP Motor
- 1 - LANDA MODEL PH3-71021D GAS-FIRED PRESSURE WASHER, S/N P0290-6177
- 1 - BINKS SUPER BEE PORTABLE PAINT MIXER
- 1 - TORIT MODEL 19-FB BAG-TYPE DUST COLLECTOR
- 1 - DONGAN 112.5-KVA 3-PHASE POWER TRANSFORMER, S/N P78
- 7 - HEAVY-DUTY STEEL WELDING TABLES, (2) 8' X 20', (1 each) 6' X 20', 4' X 20', 7' X 14', 5' X 10', 6' X 21'

Power & Pneumatic Tools, Welding Supplies, Come-A-Longs, Gear Pullers, Bar Clamps, C-Clamps, Electrical Supplies, Hand Stamps, 2-Door Supply Cabinets, Drop Lights, Ladders, Wheelbarrows, Benches, Bench Vises, Press Brake Dies, Beacons, Safety Protection Items, Eyebolts, Steel Horses, Chain Hoists, Snatch Blocks, Nylon Slings, Dock Carts, Pallet Racking, Cable Slings & Choker, Fasteners, Sparklighters, Pigeon Hole Shelving, Shop Fans, Shop Vacuums, Fire Extinguishers, Lunch Tables, Lockers, Gang Boxes, Time Clocks, Steel Shelving, Steel Racks, Safety Cages, Propane Racks, Shop Furniture, Torque Wrenches, Etc.

## COMPUTER & OFFICE EQUIPMENT

- 2 - DELL POWEREDGE SERVERS
- 17 - PERSONAL COMPUTERS, (2) DELL OPTIPLEX G1 PENTIUM II, (5) DELL DIMENSION XPS D333 PENTIUM II, (10) DELL PENTIUM II
- 1 - HEWLETT-PACKARD 7600 SERIES MODEL 255-HP-GL/2 LANGUAGE PLOTTER
- 1 - HEWLETT-PACKARD LASERJET 4 PRINTER
- 4 - OKIDATA MICROLINE PRINTERS, 391, 320, (2) 321
- 2 - XEROX MODEL 2510 COPIERS
- 1 - GAF MODEL 715.D BLUEPRINT COPIER

To schedule an auction or appraisal call 800.665.1042