

DoveBid
Worldwide

Amsterdam
Atlanta
Austin
Bangkok
Barcelona
Boston
Brussels
Chicago
Dallas
Denver
Detroit
Dublin
Düsseldorf
Grand Rapids
Hartford
Hong Kong
Houston
London
Los Angeles
Melbourne
Mexico City
Milwaukee
Minneapolis
New York
Paris
Portland
Sacramento
Santa Fe
San Francisco
San Jose
Seattle
Singapore
St. Louis
Sydney
Toronto
Tokyo
Tucson

DoveBid® Webcast Auction

By order of the Board of Directors, assets of
Carron Industries LLC

Complete Automotive Design & Prototype Facility



**Thursday, September 19, 2002
Inkster, Michigan**

DOVEBID®
Business Auctions &
Valuations Worldwide

www.dovebid.com



www.industrialauctioneers.org

Webcast Auction

Thursday, September 19, 2002
Beginning at 9am

Auction Location

By order of the Board of
Directors, assets of
CARRON INDUSTRIES LLC
26700 Princeton Avenue
Inkster, Michigan

Preview

Wednesday, September 18, 2002
9am-4pm and morning of sale

Preview Locations

26700 Princeton Avenue
and 27100 Avondale Road
Inkster, Michigan

Directions

**To 26700 Princeton Avenue
Auction & Preview Location
From Detroit Metro Airport:**
Exit airport to Merriman Road
and proceed approx. 3 miles to
Michigan Avenue (US-12). Turn
right (east) and proceed 3 miles
to Beech Daly Road. Turn right
(south) and proceed 4/10 mile
to Princeton Avenue. Turn right
(west) and proceed 1/2 mile to
sale site on the right side. Watch
for auction and parking signs.

**To 27100 Avondale Road
Preview Location From
Detroit Metropolitan Airport:**
Exit airport to Merriman Road
and proceed approx. 3 miles to
Michigan Avenue (US-12). Turn
right (east) and proceed approx.
2 miles to Inkster Road. Turn left
(north) and proceed approx.
3/4 mile to Avondale Road.
Turn right (east) and proceed
approx. 2/10 mile to sale site on
the left side. Watch for auction
and parking signs.

Additional Information

Bid live in person or on the website
at www.dovebid.com

A buyer's premium will apply at this sale
The auction will be conducted in
English and only U.S. currency will
be accepted

PRINCETON AVENUE PREVIEW LOCATION



VERSON MODEL 1600-HD-1D-144T 1600-TON
TRIPLE-ACTION HYDRAULIC STRAIGHT SIDE PRESS



CLEARING D2-400-250-84-42 650-TON
DOUBLE-ACTION S.S. PRESS

TRIPLE-ACTION STRAIGHT SIDE PRESS

- 1 - VERSON MODEL 1600-HD-1D-144T 1600-TON TRIPLE ACTION HYDRAULIC STRAIGHT SIDE PRESS, S/N 12912, Bed & Ram 96" X 144"; Blankholder: 500-Ton, Stroke 36", Shut Height 64"; Punch Holder: 800-Ton, Stroke 54", Shut Height 68"; Cushion: 308-Ton, Pin Pad Size 78" X 136-1/2", Cushion Travel 18", (Can Be Used As A Single, Double, Or Triple-Action Press)

DOUBLE-ACTION STRAIGHT SIDE PRESSES

- 1 - CLEARING MODEL D2-400-250-84-42 650-TON DOUBLE ACTION STRAIGHT SIDE PRESS, Bed & Ram Size 84" X 42"; Blankholder: 400-Ton, Stroke 16-1/4", Shut Height 48"; Punch Holder: Stroke 20-3/16", Shut Height 58"; Speeds 15 SPM
- 1 - CLEARING MODEL DF-2575-108 575-TON DOUBLE-ACTION STRAIGHT SIDE PRESS, S/N 46-11050-P, Bed & Ram Size 66" X 108"; Blankholder: 225-Ton, Stroke 32", Shut Height 72"; Punch Holder: 350-Ton, Stroke 37", Shut Height 74"; Speeds 6-1/2 SPM, Helm Load Guard Control
- 1 - HAMILTON 3-S-12011-1.LS DOUBLE-ACTION STRAIGHT SIDE PRESS, Bed & Ram 90" X 114", Blankholder 76" X 100"

4-POST HYDRAULIC PRESSES

- 3 - ST. LAWRENCE 4-POST HYDRAULIC PRESSES, (1) 1000-TON, S/N 5092, With T-Slotted Platen Size 72" X 108", Shut Height 21", 5-3/4" T-Slotted Bolster Plate, (2) 500-TON, S/N 5078, With T-Slotted Platen Size 58" X 84", Daylight 36", S/N N/A, With T-Slotted Platen Size 48" X 100", Daylight 40", 150-Ton Cushion, All With Stroke 24"
- 1 - SOUTHWORK 600-TON 4-POST UP-ACTING HYDRAULIC PRESS, S/N 43078, Platen Size 36" X 44", Stroke 15", Daylight 30"
- 1 - HPM 150-TON 4-POST UP-ACTING HYDRAULIC PRESS, S/N 58-11, T-Slotted Platen Size 24" X 24", Stroke 15", Daylight 34", With Top Transfer Plunger
- 1 - CUSTOM-FABRICATED 50-TON 4-POST UP-ACTING HYDRAULIC PRESS, T-Slotted Platen Size 24" X 24", Stroke 16", Daylight 23"
- 1 - CUSTOM-FABRICATED 4-POST HYDRAULIC PRESS, Platen Size 30" X 51", Stroke 36", Daylight 39"



2000

ACCURPRESS MODEL 710010 100-TON X 10'
HYDRAULIC PRESS BRAKE



2000

ACCURPRESS MODEL 7608 60-TON X 8'
HYDRAULIC PRESS BRAKE

To view a complete asset list, visit our website @ www.dovebid.com

PRINCETON AVENUE PREVIEW LOCATION



ST. LAWRENCE 1000-TON 4-POST
HYDRAULIC PRESS



1 OF 2 ST. LAWRENCE 500-TON 4-POST
HYDRAULIC PRESSES

HYDRAULIC C-FRAME PRESSES

- 1 - CUSTOM-FABRICATED 50-TON HYDRAULIC C-FRAME PRESS, Bed & Ram Size 8" X 8", Throat 14", Stroke 6", Daylight 11"
- 2 - CUSTOM-FABRICATED HYDRAULIC C-FRAME PRESSES, (1) With Platen Size 18" X 26", Bed Size 24" X 48", Throat 36", Stroke 30", Daylight 36", (1) With Platen 12" X 38", Bed 24" X 42", Throat 36", Stroke 24", Daylight 35"

PRESS BRAKES

- 1 - DREIS & KRUMP CHICAGO 410D 12' POWER PRESS BRAKE, S/N P870S, Distance Between Housings 10'
- 1 - ACCURPRESS MODEL 710010 100-TON X 10' HYDRAULIC PRESS BRAKE, S/N 6155 (2000)
- 1 - ACCURPRESS MODEL 7608 60-TON X 8' HYDRAULIC PRESS BRAKE, S/N 6069 (2000), Model ETS-2000 CNC Back Gage

LARGE QUANTITY OF PRESS BRAKE DIES

ROLLS

- 1 - NIAGARA 5' INITIAL-TYPE POWER BENDING ROLL, Roll Diameter 4"
- 1 - PECK, STOW & WILCOX 4' X 18-GA HAND SLIP ROLL



1994

ACCURSHEAR MODEL 625010 10' X 1/4"
HYDRAULIC SQUARING SHEAR

SHEARS

- 1 - ATLANTIC HDS X 10-3/8 10' X 3/8" HYDRAULIC SQUARING SHEAR, S/N 69265, 40" Front-Oper. Power Back Gage, 40" Sq. Arm, Digital Readout
- 1 - ACCURSHEAR 625010 10' X 1/4" HYDRAULIC SQUARING SHEAR, S/N 1821 (1994), 36" Front Operated Power Back Gage, Digital Readout
- 3 - NIAGARA POWER SQUARING SHEARS, (1) MODEL 58-B 8' X 12-GA, 24" Rear-Operated Manual Back Gage, (1) MODEL 1R6 6' X 10-GA, 36" Front-Operated Manual Back Gage, (1) 4' X 16-GA, 24" Rear-Operated Manual Back Gage
- 1 - AIR SHEAR 4' X 16-GA UNDERDRIVEN SHEAR

FABRICATING EQUIPMENT

- 1 - CUSTOM-FABRICATED HYDRAULIC C-FRAME PUNCH, Throat 34", Cylinder Diameter 2-1/2", Enerpac 8000 PSI Hydraulic Unit
- 2 - DIACRO MODEL 6 POWER ROTARY BENDERS
- 1 - DREIS & KRUMP CHICAGO NO. 816 HAND APRON BRAKE, S/N 71240
- 1 - D & K CHICAGO 4' BOX & PAN BRAKE

IRONWORKER

UNI-HYDRO
MODEL 66-24
66-TON
HYDRAULIC
IRONWORKER
S/N 3P66127X,
Punch, Plate &
Angle Shear



Auctioneer's Note

DoveBid is extremely pleased to have been selected by Carron Industries to conduct this Webcast Auction of a Complete Automotive Design & Prototype Facility. The auction will feature a wide range of quality equipment, including Stamping, Fabricating, Toolroom and Automotive Service Equipment.

The Webcast auction will be conducted in Inkster, Michigan with a preview of the assets being held on September 18 from 9am to 4pm and the morning of the sale. Feel free to attend the preview or visit our website at www.dovebid.com to download the auction catalog.

If you are unable to attend the auction in person or participate over the Web, you can to submit a proxy bid right from DoveBid's website.

Please remember that assets are sold as is, where is, and with all faults when participating in an auction. And as a courtesy to our Web buyers, DoveBid can provide contact information for shipping companies that will be attending this auction. Buyers are responsible for removal of assets and all shipping and rigging charges.

Thank you in advance for your interest and we look forward to seeing you in person or on the Web on September 19.

Can't make it to Inkster, Michigan? No problem. With DoveBid's proprietary Webcast technology, bidders around the world can bid at this auction from the convenience of their home or office through the Internet. Webcast technology allows you to virtually bid against bidders who are on the factory floor.

DOVEBID®
WEBCAST

Log on to www.dovebid.com and register even on auction day to bid in real time!

All you need is a computer, Internet access, and a touch-tone telephone to participate. Prior to the auction, preview the assets online via digital photos and comprehensive descriptions. During the auction, view the current asset being sold on your computer screen as you listen to the Auctioneer live on your telephone. You press 1 on the telephone keypad to raise your paddle and press the # key to end your bid. And as a courtesy to our Web buyers, DoveBid can provide contact information for shipping companies that will be attending the auction. Thousands of bidders from hundreds of locations around the globe have participated in DoveBid Webcast Auctions. It's fast, simple and convenient! Save money on travel expenses and next time we will see you ONLINE!

To schedule an auction or appraisal call 800.665.1042

PRINCETON AVENUE PREVIEW LOCATION



MILLTRONICS PARTNER MB18
CNC VERTICAL MILL



1 OF 7 BRIDGEPORT
SERIES I 2-HP MILLS



MILLTRONICS MODEL ML17 17" X 36"
FLATBED CNC LATHE

(10) CNC WELDING ROBOTS

- 10 - CNC WELDING ROBOTS, (5) ASEA, (5) ABB

SEAM & SPOT WELDERS

- 1 - TAYLOR-WINFIELD 250-KVA ROTARY SEAM WELDER, Throat 20", Seam Roll Diameter 10", Weldtronic Control
1 - THOMPSON 250-KVA PRESS-TYPE SPOT WELDER, Throat 19", Pertron Digital Weld Control
1 - TAYLOR-WINFIELD 150-KVA SPOT WELDER, Throat 42", Entron Digital Weld Control
1 - MARTIN 50-KVA ROCKER-ARM SPOT WELDER, Throat 17", Microprocessor Control

(24) WELDERS

- 8 - MILLER 450-AMP WELDING POWER SUPPLIES, (4) DATAWELD 451, S/Ns KE589435 (1994), KD498619 (1993), KA908823, KA908822 (BOTH 1990), (2) DATAWELD 452, (1) DATAWELD 451, With Wire Feeder & Cart, (1) MP45E, S/N HH076139, With Wire Feeder & Cart
3 - AIRCO WELDING POWER SUPPLIES, (1) PULSE ARC 400 400-AMP, S/N 711032, (2) PULSE ARC 350 350-AMP, S/Ns RH305163, RH4009050, All With Wire Feeder & Cart
2 - MILLER 350 A/BP AC/DC 350-AMP WELDING POWER SUPPLIES, S/Ns U512947, N/A, With Cart
1 - MILLER 350-AMP DC WELDING POWER SUPPLY, S/N HJ117270
2 - MILLER SYNCROWAVE 300 300-AMP WELDING POWER SUPPLIES
1 - LINCOLN WELDONPOWER 250-AMP PORTABLE WELDER
1 - MILLER CP200 200-AMP WELDING POWER SUPPLY, S/N HD71000D4, With Wire Feeder & Cart
3 - MILLER MILLERMATIC 200 200-AMP WELDERS, With Wire Feeder & Cart
2 - MILLER SIDEKICK XL 20-AMP WELDERS, With Wire Feeder & Cart
1 - MILLER DIALARC HF AC/DC WELDING POWER SUPPLY, Wire Feeder & Cart
15 - MILLER S54D WIRE FEED UNITS
1 - ONAN LPG ENGINE, With Cart

PLASMA CUTTERS

- 1 - HYPERTHERM HD3070 100-AMP PLASMA CUTTER, S/N 3070-002644
1 - THERMAL ARC MODEL PAK5KR 20-AMP PLASMA CUTTING SYSTEM, S/N C61223A18323A



1 OF 5 ABB CNC WELDING ROBOTS

HORIZONTAL BORING MILLS

- 2 - GIDDINGS & LEWIS TABLE-TYPE HORIZONTAL BORING MILLS, (1) MODEL 350-T, S/N 150-347-59, Table Size 60" X 122", Spindle Speeds 7-1/2 to 975 RPM, (1) MODEL 340-T, S/N 150-325-58, Table Size 48" X 74", Vertical Head Travel 54", Spindle Speeds 10 to 1300 RPM, 3-Axis Digital Readout, Both With No. 50 Spindle Taper

CNC VERTICAL MILLING MACHINES

- 1 - MILLTRONICS PARTNER MB18 CNC VERTICAL MILLING MACHINE, S/N 5386, Table Size 10" X 50", Milltronics Centurion 6 CNC Control, Power Drawbar
1 - TREE JOURNEYMAN 325 CNC VERTICAL MILLING MACHINE, S/N 9-25-85-5461, Table 10" X 44", Dynapath Delta 20 CNC Control
1 - HERMLE UWF-1001-H TOOLMAKERS CNC VERTICAL MILLING MACHINE, Table Size 19-1/2" X 39-1/2", Universal Swivel Milling Head

(11) VERTICAL MILLING MACHINES

- 1 - KEARNEY & TRECKER MODEL 550 TF-20 VERTICAL MILLING MACHINE, S/N 57-1001-09, Table 20" X 96", 3-Axis Digital Readout
1 - BRIDGEPORT SERIES II 4-HP VARIABLE SPEED VERTICAL MILLING MACHINE, S/N 5999, Table Size 11" X 58", Power Longitudinal, Cross & Quill Feeds, 2-Axis Digital Readout
7 - BRIDGEPORT SERIES I 2-HP VARIABLE SPEED MILLING MACHINES, S/Ns 256559, 256556 With Table Size 9" X 48", Power Longitudinal & Cross Feeds, Kurt Power Drawbar, 2-Axis Digital Readout, S/N 258285 With Table Size 9" X 48", Power Longitudinal & Cross Feeds, 2-Axis Digital Readout, S/N 443480Z88X With Table Size 9" X 48", S/Ns 226779, 259276, 218785 With Table Size 9" X 42", 2-Axis Digital Readout, All With Spindle Speeds 60 to 4200 RPM
2 - BRIDGEPORT SERIES I 1-1/2-HP VARIABLE SPEED MILLING MACHINES, S/N 109351 With Table Size 9" X 48", S/N 117626 With Table Size 9" X 42", 7" Column Riser, 2-Axis Digital Readout, Both With Spindle Speeds 60 to 4200 RPM

HORIZONTAL MILLING MACHINES

- 3 - KEARNEY & TRECKER PLAIN HORIZONTAL MILLING MACHINES, (1) MODEL 430 TF-20, S/N 57-1002-10, Table Size 20" X 89", (1) MODEL 330 TF-20, S/N 56-1004-08, Table Size 20" X 72", (1) MODEL 330 TF-17, S/N 56-1004-09, Table Size 17" X 72", All With 3-Axis Digital Readout
1 - KBC PLAIN HORIZONTAL MILLING MACHINE, Table Size 10" X 44", Vertical Head Attachment

CNC CHUCKER & LATHE

- 1 - LEBLOND-MAKINO BARON 25 CNC SLANT BED CHUCKER, S/N 25S-287, Single Turret, General Numerics G-10 Series CNC Control, Chip Conveyor
1 - MILLTRONICS MODEL ML17 17" X 36" FLATBED CNC LATHE, 8-Station Power Turret, Milltronics Centurion 6 CNC Control

LATHES

- 1 - LEBLOND 20" X 48" C.C. QUICK CHANGE GEARED HEAD LATHE, S/N NF4955, Taper Attachment
1 - BRIDGEPORT/ROMI 16" X 88" C.C. QUICK CHANGE GEARED HEAD LATHE, S/N 0275330-140, Taper Attachment, 2-Axis Digital Readout
1 - LEBLOND REGAL 15" X 54" C.C. QUICK CHANGE GEARED HEAD LATHE, S/N 12C426, Taper Attachment
1 - BRIDGEPORT/ROMI 13" X 42" C.C. QUICK CHANGE GEARED HEAD LATHE, S/N 7501439-163
1 - ENTERPRISE MODEL 1330 13" X 30" C.C. QUICK CHANGE GEARED HEAD LATHE, S/N EZ-426
1 - ROCKWELL LATHE, Cabinet Base, Collet Drawbar

SURFACE GRINDERS

- 2 - BROWN & SHARPE MODEL 1024 MICROMASTER 10" X 24" HYDRAULIC SURFACE GRINDERS, S/Ns 523-1024-254, 523-1024-437, 10" X 24" Electromagnetic Chuck, Coolant System
1 - THOMPSON MODEL BF 10" X 24" HYDRAULIC SURFACE GRINDER, S/N 2F-833295, 10" X 24" Electromagnetic Chuck, Coolant System
1 - REID MODEL 618 6" X 18" HAND FEED SURFACE GRINDER, 6" X 18" Electromagnetic Chuck
1 - HARIG MODEL 618 6" X 18" HAND FEED SURFACE GRINDER, With 6" X 18" Permanent Magnetic Chuck

TOOL GRINDER

- 1 - RUSH 252 TOOL GRINDER, S/N 1456, Swivel Workhead, Spindle, Coolant



TO 1994

PARTIAL VIEW OF (24) WELDERS

PRINCETON AVENUE PREVIEW LOCATION



1989

DOALL MODEL 3612-2H 36"
CONTOUR BAND SAW



MORA CANTILEVER-TYPE
COORDINATE MEASURING MACHINE



PARTIAL VIEW OF THE LARGE QUANTITY OF
INSPECTION EQUIPMENT



(33) VERTICAL BAND SAWS

- 1 - DOALL MODEL 3612-2H 36" VERTICAL CONTOUR METAL CUTTING BAND SAW, S/N 400-89266 (1989), Table 24" X 30", Hydraulic Feed, Blade Welder/Grinder
- 2 - GROB VERTICAL CONTOUR METAL CUTTING BAND SAWS, (1) MODEL NS36 36", S/N 998, (1) MODEL NS24 24", S/N 2141, Both With Blade Welder/Grinder
- 2 - POWERMATIC 20" VERTICAL CONTOUR METAL CUTTING BAND SAWS, (1) MODEL 87, S/N 9487005 (1994), (1) MODEL 81, S/N 8381180
- 26 - ROCKWELL 14" VERTICAL BAND SAWS
- 1 - DOALL MODEL 2013 VERTICAL CONTOUR METAL CUTTING BAND SAW, S/N 439-84505
- 1 - LENOX MODEL L500 BAND SAW, Blade Welder

HORIZONTAL BAND SAWS

- 1 - HEM SAW MODEL 1200A-2 AUTOMATIC HORIZONTAL METAL CUTTING BAND SAW, S/N 345090, Capacity 14" X 16", With Series II Stock Feeder
- 1 - WELLS MODEL W-9 HORIZONTAL METAL CUTTING BAND SAW, S/N 772644

MISCELLANEOUS SAWS

- 1 - DAYTON 12" TABLE SAW, S/N 200005, With Rip Fence
- 1 - BOICE CRANE MODEL 3500 10" TILTING ARBOR TABLE SAW, S/N 724
- 1 - PORTER-CABLE POWER SAW, Panel Capacity 6' X 10'

RADIAL DRILLS

- 1 - CINCINNATI-BICKFORD 6' X 19" COLUMN RADIAL DRILL, S/N 6E-727
- 2 - AMERICAN 5' X 15" COLUMN RADIAL DRILLS, S/Ns 75553-57, 78770-69, Power Elevation & Clamping, (2) 24" X 30" X 20" H T-Slotted Box Tables
- 1 - FOSDICK 3' SENSITIVE RADIAL DRILL, S/N 19298, With Roll-Over Table
- 1 - JOHANNSON/HTC MODEL 300 SLIDING HEAD RADIAL DRILL, S/N 780G1542, Table Size 20" X 40"
- 1 - WALKER-TURNER SLIDING-HEAD RADIAL DRILL, T-Slotted Table Size 18" X 26"



PARTIAL VIEW OF MACHINE ACCESSORIES

DRILLS

- 8 - FLOOR-TYPE DRILLS, (1) ROCKWELL/DELTA 17", (3) ROCKWELL 16", Table Size 16" X 20", (1) WILTON 16", (3) DAYTON 14"
- 1 - BURGMASER MODEL 1D TURRET DRILL, S/N 1DY100Z15Z (1992)

MACHINE ACCESSORIES

LARGE QUANTITY OF DIE RISERS, CLAMPS, PRESS ACCESSORIES, ETC. Rotary Tables, Toolholders, Etc.

CMMs

- 1 - BROWN & SHARPE VALIDATOR DOUBLE-ARM COORDINATE MEASURING MACHINE, S/N 583-3000-120-2, Steel Table 79" X 315", Vertical Arm Travel 72"
- 1 - MORA CANTILEVER-TYPE COORDINATE MEASURING MACHINE, S/N 6420.1186, Table Size 59" X 118", Work Envelope: X 92", Y 50", Z 70", Renishaw Probe System, Joystick Control

LAYOUT & SURFACE PLATES

- 3 - CAST-IRON LAYOUT PLATES, (1) 112" X 232" X 12", (1) 110" X 181" X 12", (1) 106" X 179" X 12"
 - 2 - STEEL LAYOUT TABLES, (1) 47" X 108", (1) 72" X 97", Both With Legs
 - 2 - STARRETT GRANITE SURFACE PLATES, (1) 48" X 96" X 16", (1) 48" X 96" X 10", Both Grade B, With Stand
 - 23 - STEEL SURFACE PLATES, Sizes: 23" X 55" X 35" to 32" X 200" X 43"
- LARGE QUANTITY OF CAST-IRON SURFACE PLATES

INSPECTION EQUIPMENT

LARGE QUANTITY OF INSPECTION EQUIPMENT, Including: Height Gages, Micrometer Sets, Precision Angle Plates, Risers, Etc.

IT EQUIPMENT

- 2 - NET SERVERS, (1) PROCOM TECHNOLOGY NETFORCE 1500-07, (1) SUN MICROSYSTEMS MASS STORAGE
 - 2 - CISCO SYSTEMS ROUTERS, (1) CATALYST 2900 SERIES XL, (1) CISCO 2500 SERIES
 - 5 - INTEL EXPRESS 140T STANDARD HUB ROUTERS
 - 2 - INTEL EXPRESS 510T SWITCHES
 - 2 - LEVITON POWER SUM CATEGORY 3 SWITCHBOARDS
 - 1 - GANDATI EXPRESS 52501 CONNECTOR
- Switchboards, Phone Hook-Ups, Logic Links, Distribution Units, Cabinets, Modems, Back-Ups, Etc.



PARTIAL VIEW OF PERISHABLE TOOLING
AND TOOL STORAGE CABINETS

(63) CAD WORKSTATIONS

- 60 - SUN MICROSYSTEMS CAD WORKSTATIONS, (9) ULTRA 60 ELITE 3D, (10) ULTRA 10 CREATOR 3D, (2) ULTRA 2 CREATOR 3D, (35) ULTRA 1 CREATOR 3D, (1) ULTRA ENTERPRISE 2, (1) SPARC STORAGE ARRAY, (1) SUN BLADE 1000, (1) VIP ULTRAPLEX, All With Monitor
- 1 - SILICON GRAPHICS INDIGO 2 IMPACT CAD WORKSTATION, With Monitor
- 2 - HEWLETT-PACKARD PAVILION 4550Z CAD WORKSTATIONS, With Monitor

COMPUTER EQUIPMENT

- 3 - IBM INTELLISTATION M-PRO PENTIUM IV PERSONAL COMPUTERS, With Monitor
- 26 - DELL DIMENSION PENTIUM PERSONAL COMPUTERS, (5) L866R, (7) L733R, (5) L667R, (5) XPS-D300, (2) XPS-T550, (2) XPS-T600
- 6 - DELL OPTIPLEX PENTIUM PERSONAL COMPUTERS, (4) GX150, (2) GX110
- 18 - PENTIUM PERSONAL COMPUTERS, (4) DELL PRECISION 420, (7) CNC SYSTEMS, (4) PINNACLE SYSTEMS, (3) SUNSET SYSTEMS
- 5 - DIGITAL PLOTTERS, (2) HEWLETT-PACKARD DESIGNJET 1055CM, (1) XEROX MODEL 8830, (2) OCE MODEL 9400
- 14 - HEWLETT-PACKARD LASERJET LASER PRINTERS, (1) 5000GN, (1) 5000N, (1) 4050N, (1) 2100M, (1) 5SI, (5) 4SI, (3) 4M, (1) 4
- 2 - LASER PRINTERS, (1) DATA PRODUCTS TYPHOON 20, (1) DATA PRODUCTS LZR-1560
- 3 - HEWLETT-PACKARD INKJET PRINTERS, (2) BUSINESS INKJET 2200, (1) DESKJET 670C
- 1 - TEKTRONIX PHASER 220I PRINTER

OFFICE EQUIPMENT

- 1 - SRX 1000 PBX PHONE SYSTEM
- 1 - GUARDIAN SECURITY SYSTEM
- 2 - CANON IMAGERUNNER COPIERS, (1) 400S, (1) 400N
- 2 - RICOH COPIERS, (1) AFICIO 220, (1) FT5733
- 3 - FAX MACHINES, (1) SHARP MODEL FO-300, (2) PITNEY BOWES MODEL 9920
- 2 - COLOR TVS, (1) ZENITH-INTEQ 32", (1) MITSUBISHI 19"
- 1 - MITSUBISHI MODEL HS-328UR VCR
- 4 - FORMICA CONFERENCE TABLES, (1) 60" X 192", (1) 48" X 180", (1) 60" X 156", (1) 48" X 144", All With Chairs

QUANTITY OF FREE-STANDING MODULAR OFFICE CUBICLE WORKSTATIONS, With Work Desks, Hanging, Under & Lateral Files, Chairs Executive & Pedestal Desks, Workstations, Tables, Chairs, Lateral Files, File Cabinets, Supply Cabinets, Bookcases, Shelves, Lobby Furniture, Refrigerators, Microwaves, Etc.

PRINCETON AVENUE PREVIEW LOCATION



CHALLENGER MODEL 24040 40,000-LB. CAPACITY
4-POST AUTOMOTIVE LIFT



1 OF 6 ROTARY 15,000-LB. CAP.
2-POST AUTOMOTIVE LIFTS



1 OF 55 ROTARY 9000-LB. CAP.
2-POST AUTOMOTIVE LIFTS



1 OF 3 ROTARY 7000-LB.
2-POST AUTOMOTIVE LIFTS



PARTIAL VIEW OF
WHEEL BALANCERS



PARTIAL VIEW OF
AUTOMOTIVE SERVICE EQUIPMENT

PAINT BOOTHS

- 1 - SAVARD SCDD-14-32-12 PAINT SPRAY BOOTH, Booth Size 14'W X 32'L X 12'H, 9'W X 10'H Double Doors, Paint Mixing & Storage Room, Wall & Ceiling Light Panels, Controls For In-Booth Bake System, Downdraft Air System With 2,200,000-BTU Roof Mounted Air Make-Up System, Fire Suppression System
- 1 - 90"W X 72"D X 96"H DRY-FILTER PAINT SPRAY BOOTH, Exhaust System, Overhead Lights

(74) AUTOMOTIVE LIFTS

- 1 - CHALLENGER MODEL 24040 40,000-LB. CAPACITY 4-POST AUTOMOTIVE LIFT, S/N 3792, Platform Size 30", Control Pulpit
- 1 - ROTARY TRANSPO-LIFT-SYSTEM, (4) 12,000-Lb. Cap. Units for Individual Wheel Lifts, Control Console
- 65 - ROTARY 2-POST AUTOMOTIVE LIFTS, (6) 15,000-LB. CAPACITY, (1) 12,000-LB. CAPACITY, (55) 9000-LB. CAPACITY, (3) 7000-LB. CAPACITY
- 4 - WEAVER MODEL AFH2 9000-LB. CAPACITY 2-POST AUTOMOTIVE LIFTS
- 3 - MANITOWOC MODEL F52A40D0500 9000-LB. CAPACITY AUTOMOTIVE LIFTS

WHEEL BALANCERS

- 2 - COMPUTERIZED WHEEL BALANCING MACHINES, (1) FMC JOHN BEAN MODEL 5800SC-1, S/N E21BC039, (1) ALTIS, S/N N/A
- 1 - HUNTER MODEL DSP-9000 WHEEL BALANCING MACHINE, S/N 105-187-1

TIRE CHANGERS

- 1 - FMC HEAVY-DUTY TIRE CHANGER, S/N C81DL025
- 1 - COATS MODEL 5060E RIM CLAMP TIRE CHANGER, S/N 8047000

MISCELLANEOUS AUTOMOTIVE SERVICE EQUIPMENT

- 2 - HUTH HYDRAULIC EXHAUST BENDING FLARING & SIZING SYSTEMS
- Portable, Oil, Gas & Lubrication Units With Air Pumps, Oil Drain Units, Air Conditioning Test & Fill Units, Battery Chargers, Transmission Lights, Engine Hoists, Floor Jacks, Adjustable Stands, Etc.

CUSTOM & CLASSIC CARS

- 1 - 1961 FORD GALAXIE "MAYBERRY RFD" BLACK & WHITE POLICE CAR, Emergency Lights, Siren, Radio
- 1 - 2001 CHRYSLER PROWLER, Custom Paint, 100 Miles
- 1 - 1964 FORD GALAXIE CONVERTIBLE, V/N 4J652152757
- 1 - FORD 27 T STREET ROD ROADSTER, Kit, 350 Chevy Crate Motor, 350 GM Turbo Automatic, 9" Rear Axle, Full Fendered, Custom Paint, (Completed 2/2002)

TRUCKS

- 2 - FORD STRAIGHT TRUCKS, (1) MODEL F-700, V/N 1FDNF0HOFVA23918, 20' Bed, Safety Rack, (1) F-350, V/N N/A, With Chevron Roll-Back Bed, S/N 00151264
- 1 - 1993 FORD F-350 BOX VAN, 15' Van Body, V/N 1FDKE37M4PHB88551
- 1 - FORD F-SERIES TRUCK, V/N 1FDLF47F88EA68450, Diesel Engine, 15,000 GVR With Jerr-Dan Model 19AEL Roll-Back Bed, With Winch & Toolbox

PICK-UP TRUCKS

- 1 - 2002 FORD RANGER SPECIAL CUSTOM EDITION PICK-UP TRUCK, V/N 1FTZR15E81PA0053, 4-Wheel Drive, 4L Supercharged Engine, Custom Wheels, Custom Paint, Bed Cover, Roof-Mounted Ski Racks, Bike Racks
- 2 - 1998 FORD F-250 PICK-UP TRUCKS, (1) EXTENDED CAB, V/N 1FTNX20LXXEA73736, 5.4L V-8 Engine, (1) V/N 1FTEF27LOWNA02533, V-8 Engine, Bed Liner
- 1 - 1994 FORD F-150 XL EXTENDED CAB PICK-UP TRUCK, V/N 1FTEX15Y1RKB, Bed Liner
- 1 - 1992 FORD F-150 PICK-UP TRUCK, V/N 1FTEF15YXNLA98596, Bed Liner
- 1 - 1987 FORD F-250 PICK-UP TRUCK, V/N 2FTHF25H3GC894036
- 1 - FORD F-250 PICK-UP TRUCK, V/N 2F1HF25H560894037
- 1 - FORD F-250 LARIAT PICK-UP TRUCK, V/N N/A

VANS

- 1 - 1999 FORD ECONOLINE CARGO VAN, V/N 1FTPE24L2XHB19373
- 1 - 1998 FORD ECONOLINE 150 UNIVERSAL CUSTOM VAN, V/N 1FDRE1468WHA60292, TV, VCR, Loaded
- 1 - 1982 FORD CARGO VAN, V/N 1FTFEE25E6CHA84791
- 1 - FORD ECONOLINE CARGO VAN, V/N 1FTEH24HOSHA30538

MISCELLANEOUS VEHICLES

- 1 - 1997 FORD EXPLORER EDDIE BAUER EDITION SPORT UTILITY VEHICLE, V/N 1FMDU35POVUC93150, V-8 Engine, 4-Wheel Drive, All Power, Custom Paint
- 1 - 1994 FORD ESCORT LX STATION WAGON, V/N 3FASP15J1SR125514, Custom Paint
- 1 - 1989 LINCOLN TOWN CAR, V/N 1LNBM82FOJY867992

BRIDGE CRANE

- 1 - MT. CLEMENS CRANE 10-TON CAPACITY SINGLE-GIRDER UNDERSLUNG BRIDGE CRANE, Span 38', 6-Way Pendant Control, 10-Ton Capacity Electric Hoist

FORKLIFTS

- 1 - TAYLOR MODEL Y-22-WOM 22,000-LB. CAPACITY LPG FORKLIFT TRUCK, S/N S-26-9654, Forks 80", Dual Front Pneumatic Tires, Capacity May Be Modified To Exceed Manufacturer's Specifications
- 2 - CLARK 8000-LB. CAPACITY LPG FORKLIFT TRUCKS, (1) MODEL GPX50, S/N GPX710U-0285-9050-FB-394, Lift 161", Side Shift, Solid Tires, (1) MODEL C500YS80, S/N Y6854539621278, Lift 147"
- 1 - CATERPILLAR MODEL T80D 8000-LB. CAPACITY LPG FORKLIFT TRUCK, S/N 5KB04371, Lift 120"
- 1 - HYSTER MODEL H60F 6000-LB. CAPACITY LPG FORKLIFT TRUCK, S/N BD6487N, Lift 144"
- 2 - CLARK MODEL GPX30 6000-LB. CAPACITY LPG FORKLIFT TRUCKS, S/Ns GPX230-0123-7595-KOP, GPX230-0123-7955, Lift 123"
- 1 - CLARK MODEL GPS25MO 4400-LB. CAPACITY LPG FORKLIFT TRUCK, S/N GP138MC, Lift 170"
- 1 - CLARK MODEL C500Y40 4000-LB. CAPACITY LPG FORKLIFT TRUCK, S/N Y355-427-4324, Lift 123"

MATERIAL HANDLING EQUIPMENT

- 2 - ELECTRIC SCISSOR-LIFT WORK PLATFORMS, (1) GROVE MODEL SM3160E 1000-LB. CAPACITY, S/N 28507, Maximum Height 25', Deck Extension Option, (1) UPRIGHT XL-24 750-LB. CAP., Max. Height 24'
- 3 - BIG JOE ELECTRIC DIE LIFTS, (1) 2500-LB. CAPACITY, S/N 305953, (1) 2000-LB. CAPACITY, S/N 315601, (1) 1500-LB. CAP., S/N 37440
- 4 - GAYLORD HOIST PORTABLE GANTRY CRANES, With Yale 1-Ton Capacity Electric Chain Hoist

AIR COMPRESSORS

- 1 - GARDNER-DENVER ELECTRA-SAVER II MODEL EBHQJB 50-HP ROTARY SCREW AIR COMPRESSOR, S/N M69193
- 1 - GARDNER-DENVER MODEL ECHQJC 50-HP AIR COMPRESSOR, S/N 803944

PRINCETON AVENUE PREVIEW LOCATION



1961

FORD GALAXIE "MAYBERRY RFD" POLICE CAR



**COMPLETED
2/2002**

FORD 27 T STREET ROD ROADSTER



2001

CHRYSLER PROWLER



2002

FORD RANGER SPECIAL CUSTOM PICK-UP



1998

FORD F-250 EXTENDED CAB PICK-UP TRUCK AND
1 OF 2 FORD ECONOLINE CARGO VANS



CATERPILLAR T80D 8000-LB.
LPG FORKLIFT TRUCK



FORD F-SERIES TRUCK



TAYLOR MODEL Y-22-WOM 22,000-LB.
CAPACITY LPG FORKLIFT TRUCK

SCALES

- 1 - CARDINAL MODEL 738 40,000-LB. CAPACITY DIGITAL IN-GROUND PLATFORM SCALE, Platform Size 5' X 7'
- 4 - 2000-LB. CAP. PORTABLE PLATFORM BALANCE SCALES, Platform 28" X 28"
- 1 - TOLEDO 1000-LB. CAPACITY PORTABLE PLATFORM SCALE

SHOP & FACTORY

- 1 - TENNANT MODEL 235 LPG RIDING-TYPE FLOOR SWEEPER, S/N 235-2035
- 1 - TENNANT WALK-BEHIND ELECTRIC FLOOR SWEEPER
- 2 - RIDGID PORTABLE PIPE THREADERS, (1) NO. 935, (1) NO. 801
- 1 - RUEMLIN AGF-X 30" X 30" ABRASIVE DRY BLAST CABINET, S/N 47418
- 4 - DISC SANDERS, (1) KINDT-COLLINS 24", (1) RANKIN 24", (1) APEX 20", (1) ROCKWELL 12"
- 2 - MILWAUKEE MAGNETIC BASE DRILLS
- 1 - SMOKEMASTER SMOKE & DUST COLLECTOR
- 3 - 5-HP PORTABLE HYDRAULIC UNITS
- 5 - FLAMMABLE LIQUID SAFETY STORAGE CABINETS

LARGE QUANTITY OF DOUBLE-END PEDESTAL GRINDERS

Hydraulic H-Frame Presses, Enerpac Hydraulic Units, H-Frame Arbor Presses, Work Benches, Tool Storage Cabinets, Portable & Stationary Steel Storage Racks, Shelving Units, 2-Door Shop Cabinets, Banding Outfits, Shop Vacs, Floor Fans, Welding Screens, Crib Supplies, Etc.

Terms & Conditions

- Buyers are responsible for all shipping and rigging charges.
- All items are sold AS IS, WHERE IS AND WITH ALL FAULTS.
- DoveBid shall charge and collect from each successful bidder a 15% buyer's premium for each sale at the auction, in addition to the purchase price as bid. Purchasers who pay in the form of certified funds or wire transfer shall receive a discount from the buyer's premium equal to 3% of the purchase price. Purchasers who do not bid over the internet shall receive an additional discount equal to 2% of the purchase price).
- Each successful bidder must pay a 25% deposit toward the purchase price immediately following the successful bid.
- Applicable taxes will be added to the purchase price of all taxable items.
- Acceptable means of payment include certified funds, wire transfers, Visa, American Express' and Mastercard'.
- The complete terms and conditions that govern this auction will be distributed at the auction site and/or are available on our website at www.DoveBid.com. The complete terms and conditions may include terms that are unique to this particular auction. Please read them carefully before you bid in the auction. If you participate in the auction, you will be deemed to have read and consented to all of the terms and conditions.

AVONDALE ROAD PREVIEW LOCATION

FABRICATING EQUIPMENT

- 1 - NIAGARA 4' INITIAL-TYPE HAND BENDING ROLL, Roll Diameter 3"
- 1 - DREIS & KRUMP CHICAGO MODEL BP-814 8' X 14-GA HAND BOX & PAN BRAKE, S/N 310460

LAYOUT PLATE

- 1 - 120" X 247" X 13" CAST-IRON LAYOUT PLATE

(32) AUTOMOTIVE LIFTS

- 32 - 9000-LB. CAPACITY 2-POST AUTOMOTIVE LIFTS, (28) ROTARY, (4) WEAVER MODEL AFH2

BRIDGE CRANE

- 1 - MT. CLEMENS CRANE 2-TON CAPACITY SINGLE-GIRDER TOP-RIDING BRIDGE CRANE, Span 47', 6-Way Pendant Control, Yale 2-Ton Cap. Electric Hoist, 120' Runway, Bolted Uprights

AUTOMOTIVE SERVICE EQUIPMENT

- 1 - HUNTER SYSTEM 700 MODEL 741127 COMPUTERIZED WHEEL BALANCING MACHINE, S/N BA7924
- 1 - COATS MODEL 40-405A TIRE CHANGER, S/N 40-405-45300
- 1 - HUNTER MODEL P611M FRONT-END ALIGNMENT MACHINE, S/N JJ8876, With Hunter DSP-300 Heads, Alignment Rack
Portable, Oil, Gas & Lubrication Units With Air Pumps, Oil Drain Units, Air Conditioning Test & Fill Units, Battery Chargers, Transmission Lights, Engine Hoists, Floor Jacks, Adjustable Stands, Etc.

AIR COMPRESSORS & AIR DRYER

- 2 - GARDNER-DENVER ROTARY SCREW AIR COMPRESSORS, (1) MODEL EBERGC 30-HP, S/N M31008, (1) ELECTRA-SCREW MODEL EBBODA 15-HP, S/N U04290
- 1 - WILKERSON MODEL A07-AH-P00 REFRIGERATED COMPRESSED AIR DRYER, S/N 01-21-88-5274

SHOP & FACTORY

Hydraulic H-Frame Presses, H-Frame Arbor Presses, Enerpac Hydraulic Units, Work Benches, Tool Storage Cabinets, Portable & Stationary Steel Storage Racks, Shelving Units, 2-Door Shop Cabinets, Banding Outfits, Shop Vacs, Floor Fans, Welding Screens, Crib Supplies, Etc.

NEED HELP WITH SHIPPING?

As a courtesy to our buyers, DoveBid can provide contact information for shipping companies scheduled to attend this auction. For details, please visit DoveBid's Website at www.dovebid.com or call our customer care department at 800-665-1042.

Global Provider of Capital Asset Auctions & Valuation Services

Over \$5 Billion assets sold in 5,000 auctions conducted worldwide and more than 10,000 appraisals produced.

DOVEBID[®]
Business Auctions &
Valuations Worldwide

Auctioneers, Sale Advisors & Appraisers

Worldwide Headquarters
1241 East Hillsdale Boulevard
Foster City, California 94404
650.571.7400 • Fax: 650.572.1502
www.dovebid.com

Customer Service 800.665.1042

Return Service Requested

For further information,
please contact our Southfield, Michigan Office
Phone (248) 353-8640

**FIRST
CLASS
MAIL**

First Class
U.S. Postage
PAID
Permit No. 1904
Detroit, Mich.

DoveBid Webcast Auction

- Bid live in Inkster, Michigan
- Bid live over the internet at www.dovebid.com

Webcast Auction
Thursday, September 19, 2002

Carron Industries

**Complete
Automotive Design
& Prototype Facility**

Industrial Real Estate For Sale or Lease

2 Parcels Available Individually • Through Private Negotiations Only



26700 Princeton Avenue

Land Area: 7 acres • Building Area: 198,000 sq ft total,
148,000 sq ft Manufacturing Area, 50,000 sq ft Office Area

- Zoned M-1
- 12' to 22' Ceiling Heights
- (12) Grade Level Overhead Doors
- 1000-kVA Power



27100 Avondale Road

Land Area: 7.01 acres • Building Area: 51,252 sq ft total
40,000 sq ft Manufacturing Area, 11,252 sq ft Office Area

- Zoned B-2
- 14' to 16' Ceiling Heights
- (5) 14' X 16' Overhead Doors
- 1000-kVA 480-Volt Power
- Ample Parking

For additional information, please contact: Jeff Ambrose or John Mandich
Colliers International Phone (248) 540-1000 • Fax (248) 540-1038

©2002 DOVEBID, ALL RIGHTS RESERVED • #CARR4229 • CA Bond# 57BSBAI7624

Complete Terms & Conditions are contained in the Sale Catalog and on the website at www.dovebid.com.

Please review the Terms and Conditions prior to placing bids on any items. Worldwide Headquarters: Foster City, California

